





TABLE OF CONTENTS

ATV ACCESSORY	
COMPATIBILITY GUIDE	5
UNITS COMPARATIVE CHART	6
G2, G2L, G2S ACCESSORIES	22
G3, G3L ACCESSORIES	62
PARTS AND MAINTENANCE	92



© 2024 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Product performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. BRP recommends that all ATV-SxS drivers take a training course. See your dealer or call the ATV Safety Institute at 1-800-887-2887 (USA) or the Canadian Safety Council at 1-613-7398-1558 (Canada). ATVs and SxS can be hazardous to operate. Never exceed the ATV-SxS's passenger capacity. All adult model ATVs are meant to be used by drivers aged 16 and older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SxS are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving, Audd excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com. Printed in Canada.









If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

BUILD Yours now

ATV ACCESSORY COMPATIBILITY GUIDE

We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

Model year	Model	Engine configuration	Platform code
2015	Outlander L	450, 500	G2L
2010	Outlander	500, 650, 800, 1000	G2
	Outlander L MAX	450, 500	G2L
	Outlander MAX	500, 650, 800, 1000	G2
	6x6	650, 1000	G2
	Renegade	500, 800, 1000	G2S
2016	Outlander L	450, 570	G2L
2010	Outlander	570, 650, 850, 1000	G2
	Outlander L MAX	450, 570	G2L
	Outlander MAX	570, 650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2017	Outlander	450, 570	G2L
2018	Outlander	650, 850, 1000	G2
2010	Outlander MAX	450, 570	G2L
	Outlander MAX	650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2019	Outlander	450, 570	G2L
2020	Outlander	650, 850, 1000R	G2
2021	Outlander MAX	450, 570	G2L
2022	Outlander MAX	500, 700	G3L
	Outlander MAX	650, 850, 1000R	G2
2023	Outlander	500, 700	G3L
2024	Outlander	850, 1000R	G3
2025	Outlander PRO	HD5, HD7	G3L
	Outlander PRO MAX	HD7	G3L
	6x6	450	G2L
	6x6	650, 1000	G2
	Renegade	570, 650, 850, 1000R	G2S



OUTLANDER PRO Desert Tan Compass Green **COLOR OPTIONS** HD5 HD7 Type 40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled 50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled Electronic Fuel Injection (EFI) Fuel Delivery System ENGINES pDrive primary CVT with work calibration Extra low L / H / N / R / P Transmission Drive Train Selectable 2WD / 4WD with Visco-Lok[†] auto-locking front differential **Driving Assistance** N/A **Power Steering** N/A Front Suspension Double A-arm 9.75 in. (24.8 cm) travel SUSPENSIONS Front Shocks Twin-tube Double A-arm 10.25 in. (26 cm) travel Rear Suspension Rear Shocks Twin-tube TIRES / WHEELS 6-ply rating 26 x 8/10 x 12 in. 12 in. steel BRAKES Front Dual 214 mm disc brakes with hydraulic twin-piston calipers Single 214 mm disc brake with hydraulic twin-piston caliper Estimated Dry Weight* 800 lb (362.9 kg) LxWxH 89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm) DIMENSIONS / CAPACITIES Wheelbase 53 in. (134.5 cm) **Ground Clearance** 13 in. (33 cm) Seat Height 38.6 in. (98 cm) Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg) Rack Capacity 9 gal (34 L) **Storage Capacity** 1,830 lb (830 kg) **Towing Capacity** 5.1 gal (19.5 L) **Fuel Capacity** 4.5 in. digital display Gauge Instrumentation Mechanical key LED headlights and taillights Seat Standard Handlebar Standard Premium front bumper Rear bumper Full skid plate Protection WARRANTY & EXTENDED SERVICE 6-month BRP limited warranty Extended Service Terms B.E.S.T. term available up to 36 months

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners.

		OUTLANDI	ER PRO XU	OUTLANDER PRO Hunting Edition
CC	DLOR OPTIONS	Deser Compas		Wildland Camo
		HD5	HD7	HD7
	Туре	40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid-cooled
s	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive primary CVT v Extra low L /	with work calibration H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD / Lock 4WD	with Visco-4 Lok [†] front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4 Lok [†] front differential
	Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
	Power Steering	Tri-Mode Dynamic Po	wer Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
·	Front Suspension	Double A-arm 9.75	in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
SION	Front Shocks	Twin-	tube	Twin-tube
SUSPENSIONS	Rear Suspension	Double A-arm 10.2	5 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin-tube		Twin-tube
WHEELS	Tires Wheels	XPS Trail King, 6-ply ra 12 in. cast		XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. 12 in. cast aluminum
BRAKES	Front	Dual 214 mm disc brakes with	hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
BR/	Rear	Single 214 mm disc brake with	n hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	816 lb (370.1 kg)		828 lb (375.6 kg)
s	LxWxH	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)		89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)
CITIE	Wheelbase	53 in. (134.5 cm)		53 in. (134.5 cm)
CAPA	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)
NSIONS / CAPACITIES	Seat Height	38.6 in.	(98 cm)	38.6 in. (98 cm)
	Rack Capacity	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
DIME	Storage Capacity	9 gal ((34 L)	9 gal (34 L)
	Towing Capacity	1,830 lb	(830 kg)	1,830 lb (830 kg)
	Fuel Capacity	5.1 gal		5.1 gal (19.5 L)
	Gauge	4.5 in. digi		4.5 in. digital display
	Instrumentation	USB phon		USB phone charger
	Ignition	RF Digitally Encoded Sec		RF Digitally Encoded Security System (D.E.S.S.™)
RES	Lighting	LED neadlight		LED headlights and taillights 3,500 lb (1,588 kg) winch
FEATURES	Seat			Standard
_	Handlebar	Standard Standard		Standard
	Protection	Premium front bumper Rear bumper Full skid plate		Premium front bumper Rear bumper Full skid plate HMWPE footwell skid plate Aluminum front and rear A-arm protectors
SERVICE	Factory Warranty		6-month BRP	limited warranty
Factory Warranty 6-month BRP limited warranty Extended Service Terms B.E.S.T. term available up to 36 months			able up to 36 months	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER PRO MAX XU	OUTLANDER PRO MAX Hunting Edition
С	OLOR OPTIONS	Desert Tan Compass Green	Wildland Camo
		HD7	НD7
	Туре	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
s	Fuel Delivery System	Intelligent Throttle Control (iT TM) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTTM) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive primary CVT with work calibration Extra low L / H / N / R / P	pDrive primary CVT with work calibration Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
	Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (IEB™) Speed limiter	Work / Standard / Sport modes Intelligent Engine Braking (IEB™) Speed limiter Speed in Moderer
	Power Steering	Tri-Mode Dynamic Power Steering (DPS)	Tri-Mode Dynamic Power Steering (DPS)
SN	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
NSIO	Front Shocks	Twin-tube	Twin-tube
SUSPENSIONS	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin-tube	Twin-tube
TIRES / WHEELS	Tires Wheels	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. 12 in. cast aluminum	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. 12 in. cast aluminum
KES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	851 lb (386 kg)	863 lb (391.5 kg)
s	LxWxH	94.2 x 47.6 x 54 in. (239.2 x 120.9 x 137.1 cm)	94.2 x 47.6 x 54 in. (239.2 x 120.9 x 137.1 cm)
ONS / CAPACITIES	Wheelbase	60.4 in. (153.5 cm)	60.4 in. (153.5 cm)
CAPA	Ground Clearance	13 in. (33 cm)	13 in. (33 cm)
NS / (Seat Height	38.6 in. (98 cm)	38.6 in. (98 cm)
	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
DIMENS	Storage Capacity	9 gal (34 L)	9 gal (34 L)
	Towing Capacity	1,830 lb (830 kg)	1,830 lb (830 kg)
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)
	Gauge	4.5 in. digital display	4.5 in. digital display
	Instrumentation	USB phone charger	USB phone charger
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
RES	Lighting	LED headlights and taillights	LED headlights and taillights
FEATURES	Winch	N/A	3,500 lb (1,588 kg) winch
	Seat	Standard	Standard
	Handlebar	Standard	Standard
	Protection	Premium front bumper Rear bumper Full skid plate	Premium front bumper, rear bumper, full skid plate, HMWPE footwell skid plate, aluminum front and rear A-arm protectors
NTY &	Factory Warranty	6-month BRP limited warranty	6-month BRP limited warranty
WARRANTY & EXTENDED SERVICE	Extended Service Terms	B.E.S.T. term available up to 36 months	B.E.S.T. term available up to 36 months

 $^{^{\}dagger}$ Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. † Base model dry weight shown.

		OUTLANDER 500 2WD	OUTLANDE	R 500 / 700
			163	
С	OLOR OPTIONS	Legion Red	Granit Legio	e Grey n Red
		500	500	700
	Туре	40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled
,,	Fuel Delivery System	Electronic Fuel Injection (EFI)	Electronic Fue	I Injection (EFI)
ENGINES	Transmission	pDrive primary CVT L/H/N/R/P	pDrive primary CVT L/H/N/R/P	
	Drive Train	2WD system	Selectable 2WD / 4WD with Visco	-Lok† auto-locking front differential
	Driving Assistance	N/A	N	/A
	Power Steering	N/A	N	/A
s	Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9.75	in. (24.8 cm) travel
SUSPENSIONS	Front Shocks	Twin-tube	Twin	-tube
USPE	Rear Suspension	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 10.2	25 in. (26 cm) travel
	Rear Shocks	Twin-tube	Twin-tube	
TIRES / WHEELS	Tires Wheels	25 x 8/10 x 12 in. 12 in. steel	25 x 8/10 x 12 in. 12 in. steel	
KES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with	hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake wit	h hydraulic twin-piston caliper
	Estimated Dry Weight*	718 lb (325.7 kg)	740 lb (335.7 kg)	
ω	LxWxH	86.7 x 47.6 x 48 in. (220.2 x 120.9 x 122 cm)	86.7 x 47.6 x 48 in. (23	20.2 x 120.9 x 122 cm)
CITIE	Wheelbase	53 in. (134.5 cm)	53 in. (1	34.5 cm)
DIMENSIONS / CAPACITIES	Ground Clearance	12 in. (30.5 cm)	12 in. (3	30.5 cm)
/ SNC	Seat Height	38 in. (96.7 cm)	38 in. (9	96.7 cm)
ENSIG	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)
DIM	Storage Capacity	9 gal (34 L)	9 gal	(34 L)
	Towing Capacity	1,830 lb (830 kg)		(830 kg)
	Fuel Capacity	5.1 gal (19.5 L)		(19.5 L)
	Gauge	4.5 in. digital display	4.5 in. dig	
	Instrumentation	N/A		/A
	Ignition	Mechanical key		nical key
FEATURES	Lighting	LED headlights and taillights		s and taillights
FEAT	Winch	N/A		/A
	Seat	Standard		dard
	Handlebar	Standard	Standard	
L	Protection	Full skid plate	Full skid plate	
WARRANTY & EXTENDED SERVICE	Factory Warranty		6-month BRP limited warranty	
WARR	Extended Service Terms	B.E.S.T. term available up to 36 months		

¹Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER I	DPS 500 / 700	OUTLANDER XT 700	OUTLANDER X mr 700
cc	DLOR OPTIONS	Granit Legio Wildlan	n Red	Platinum Satin Scandi Blue	Legion Red Wildland Camo
		500	700	700	700
	Туре	40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled with strategically positioned engine air intake
S	Fuel Delivery System	Electronic Fuel	Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive pri L / H / f		pDrive primary CVT L/H/N/R/P	pDrive primary CVT with strategically positioned air intake and exhaust Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-L	ok [†] QE auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4 Lok [†] front differential
	Driving Assistance	N,	'A	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes
ĺ	Power Steering	Tri-Mode Dynamic Po	wer Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
s	Front Suspension	Double A-arm 9.75	in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel	Double A-arm 9 in. (22.9 cm) travel
SUSPENSIONS	Front Shocks	Twin	tube	Twin-tube	Twin-tube
SPEN	Rear Suspension	Double A-arm 10.2	5 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
ns	Rear Shocks	Twin	tube	Twin-tube	Twin-tube
TIRES / WHEELS	Tires Wheels	25 x 8/11 12 in.		XPS Trail Force 26 x 8/10 x 14 in. 14 in. aluminum	XPS Swamp King 28 x 8/10 x 14 in. 14 in. aluminum
KES	Front	Dual 214 mm disc brakes with	hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with	n hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	750 lb (3	40.2 kg)	858 lb (389.2 kg)	876 lb (397.3 kg)
s	LxWxH	86.7 x 47.6 x 48 in. (22	0.2 x 120.9 x 122 cm)	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)
S / CAPACITIES	Wheelbase	53 in. (1:	34.5 cm)	53 in. (134.5 cm)	53 in. (134.5 cm)
SAPA	Ground Clearance	12 in. (3	0.5 cm)	12.5 in. (31.8 cm)	13 in. (33 cm)
1	Seat Height	38 in. (9	6.7 cm)	38.6 in. (98 cm)	38.6 in. (98 cm)
ISIO	Rack Capacity	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: NA / Rear: 240 lb (109 kg)
DIMENSION	Storage Capacity	9 gal	(34 L)	9 gal (34 L)	1 gal (3.8 L)
اً	Towing Capacity	1,830 lb	(830 kg)	1,830 lb (830 kg)	1,830 lb (830 kg)
	Fuel Capacity	5.1 gal	(19.5 L)	5.1 gal (19.5 L)	5.1 gal (19.5 L)
	Gauge	4.5 in. digi	tal display	4.5 in. digital display	4.5 in. digital display
ĺ	Instrumentation	N,	'A	USB phone charger	USB phone charger
	Ignition	Mechar	ical key	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™) with cord
URES	Lighting	LED headlight	s and taillights	LED headlights and taillights	LED headlights and taillights
FEATURES	Winch	N,	'A	3,500 lb (1,588 kg) winch	N/A
	Seat	Stan	dard	Standard	Standard
	Handlebar	Stan	Standard		Standard
	Protection	Full skid plate		Front and rear bumper Full skid plate	Front bumper X mr footpegs Full skid plate
NTY & SERVICE	Factory Warranty		6-month BRF	limited warranty	
WARRANTY & EXTENDED SERVICE	Extended Service Terms		B.E.S.T. term avail	able up to 36 months	

¹Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER MA	X DPS 500 / 700	OUTLANDER MAX XT 700
cc	DLOR OPTIONS	Granit Legio	e Grey n Red	Platinum Satin Scandi Blue
		500	700	700
	Туре	40 hp / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax" ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled	50 hp / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single-cylinder, liquid-cooled
	Fuel Delivery System	Electronic Fue	Injection (EFI)	Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive pri L/H/N		pDrive primary CVT L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-L	ok [†] QE auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok [†] QE auto-locking front differential
Ì	Driving Assistance	N.	/A	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
	Power Steering	Tri-Mode Dynamic Po	ower Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
us.	Front Suspension	Double A-arm 9.75	in. (24.8 cm) travel	Double A-arm 9.75 in. (24.8 cm) travel
SUSPENSIONS	Front Shocks	Twin-tube		Twin-tube
USPE	Rear Suspension	Double A-arm 10.2	5 in. (26 cm) travel	Double A-arm 10.25 in. (26 cm) travel
	Rear Shocks	Twin-tube		Twin-tube
TIRES / WHEELS	Tires Wheels	25 x 8/1 12 in.		XPS Trail Force 26 x 8/10 x 14 in. 14 in. aluminum
BRAKES	Front	Dual 214 mm disc brakes with	hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
BR/	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper		Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	785 lb (356.1 kg)		893 lb (405.1 kg)
S	LxWxH	94.2 x 47.6 x 54 in. (239.2 x 120.9 x 137.1 cm)		94.2 x 47.6 x 54 in. (239.2 x 120.9 x 137.1 cm)
S / CAPACITIES	Wheelbase	60.4 in. (1	53.5 cm)	60.4 in. (153.5 cm)
CAPA	Ground Clearance	12 in. (3	0.5 cm)	12.5 in. (31.8 cm)
	Seat Height	38.6 in.	(98 cm)	38.6 in. (98 cm)
NSIO	Rack Capacity	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
DIMENSION	Storage Capacity	9 gal	(34 L)	9 gal (34 L)
	Towing Capacity	1,830 lb	(830 kg)	1,830 lb (830 kg)
	Fuel Capacity	5.1 gal (19.5 L)		5.1 gal (19.5 L)
	Gauge	4.5 in. digi	tal display	4.5 in. digital display
	Instrumentation	N,	/A	USB phone charger
	Ignition	Mechar	nical key	RF Digitally Encoded Security System (D.E.S.S.™)
JRES	Lighting	LED headlight	s and taillights	LED headlights and taillights
FEATURES	Winch	N,	/A	3,500 lb (1,588 kg) winch
	Seat	Stan	dard	Standard
	Handlebar	Stan	dard	Standard
	Protection	Full skid plate		Front and rear bumper Full skid plate
NTY & SERVICE	Factory Warranty		6-month BRP limited warranty	
Factory Warranty Factory Warranty Factory Warranty Factory Warranty Extended Service Terms B.E.S.T. term available up to 36 months				

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER 850	OUTLANDER D	PS 850 / 1000R	
			To a	163	
С	OLOR OPTIONS	Legion Red	Granit	e Grey	
		850	850	1000R	
	Туре	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	
Ø	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Thrott with Electronic Fi	le Control (iTC™) uel Injection (EFI)	
ENGINES	Transmission	pDrive primary CVT L / H / N / R / P	pDrive pri L / H /	mary CVT N / R / P	
	Drive Train	Selectable 2WD / 4WD with Visco-Lok [†] auto-locking front differential	Selectable 2WD / 4WD with Visco-L	ok [†] QE auto-locking front differential	
	Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard Intelligent Engin	d / Sport modes e Braking (iEB™)	
	Power Steering	N/A	Tri-Mode Dynamic Po	wer Steering (DPS™)	
"	Front Suspension	Arched double A-arm 10.75 in. (27.3 cm) travel	Arched do: 10.75 in. (27		
SIONS	Front Shocks	Twin-tube	Twin		
SUSPENSIONS	Rear Suspension	Arched double A-arm 12 in. (30.5 cm) travel	Arched do: 12 in. (30.5		
Rear Shocks Twin-tube			Twin-tube		
TIRES / WHEELS	Tires Wheels	26 x 8/10 x 12 in. 12 in. steel	26 x 8/10 x 12 in. 12 in. aluminum	26 x 8/10 x 14 in. 14 in. aluminum	
	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with	hydraulic twin-piston calipers	
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	
	Estimated Dry Weight*	876 lb (398 kg)	967 lb (440 kg)	
"	LxWxH	84 x 48.5 x 49 in. (213.4 x 123.1 x 124.5 cm)	84 x 48.5 x 49 in. (213	.4 x 123.1 x 124.5 cm)	
CAPACITIES	Wheelbase	52.8 in. (134.2 cm)	52.8 in. (1	134.2 cm)	
CAPA	Ground Clearance	12 in. (30.5 cm)	12 in. (3	0.5 cm)	
S/	Seat Height	37.8 in. (96 cm)	37.8 in.	(96 cm)	
DIMENSION	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)	
DIME	Storage Capacity	10.6 gal (40 L)	10.6 gai	(40 L)	
	Towing Capacity	1,830 lb (830 kg)	1,830 lb	(830 kg)	
	Fuel Capacity	5.1 gal (19.5 L)	5.1 gal	(19.5 L)	
	Gauge	7.6 in. wide digital display	7.6 in. wide d	ligital display	
	Instrumentation	Phone storage	Phone :	storage	
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Sec	curity System (D.E.S.S.™)	
FEATURES	Lighting	LED headlights and taillights	LED headlights and taillights	LED headlights and taillights LED signature	
FEAT	Winch	N/A	N,		
	Seat	Standard	Stan	dard	
	Handlebar	Standard	Standard		
	Protection	Full skid plate	Full skid plate		
WARRANTY & EXTENDED SERVICE	Factory Warranty		6-month BRP limited warranty		
WARR	Extended Service Terms		B.E.S.T. term available up to 36 months		

 $^{^{\}dagger}$ Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. † Base model dry weight shown.

		OUTLANDER X	TT 850 / 1000R	OUTLANDER XT-P 1000R
		0.00	0.00	
CC	OLOR OPTIONS	Platinu Fiery Wildlan	Red	Mineral Grey & Orange Crush
		850	1000R	1000R
	Туре	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC nd)	with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	pDrive pri L/H/	mary CVT N / R / P	pDrive primary CVT L/H/N/R/P
EN	Drive Train	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
	Driving Assistance	Work / Standard Intelligent Engin	d / Sport modes e Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
	Power Steering	Tri-Mode Dynamic Po		Tri-Mode Dynamic Power Steering (DPS™)
	Front Suspension	Arched double A-arm	Arched double A-arm with sway bar	Arched double A-arm with sway bar
ONS		10.75 in. (27.3 cm) travel	10.75 in. (27.3 cm) travel	10.75 in. (27.3 cm) travel
SUSPENSIONS	Front Shocks	Arched do	tuble Averm	FOX [†] 1.5 PODIUM [†] QS3 Arched double A-arm
SUSF	Rear Suspension	12 in. (30.5		12 in. (30.5 cm) travel
	Rear Shocks	Twin-tube		FOX [†] 1.5 PODIUM [†] QS3
WHEELS	Tires Wheels	XPS Trail King 2 14 in. ali	- 26 x 8/10 x 14 uminum	XPS Trail King 2 - 27 x 8/10 x 14 in. 14 in. aluminum beadlock
KES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers		Dual 214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Estimated Dry Weight*	1,000 lb	(455 kg)	1,000 lb (455 kg)
"	LxWxH	88.4 x 48.5 x 49 in. (224	4.6 x 123.1 x 124.5 cm)	88.4 x 48.5 x 49 in. (224.6 x 123.1 x 124.5 cm)
CAPACITIES	Wheelbase	52.8 in. (134.2 cm)		52.8 in. (134.2 cm)
APAC	Ground Clearance	12 in. (3	0.5 cm)	12 in. (30.5 cm)
\ S	Seat Height	37.8 in.	(96 cm)	37.8 in. (96 cm)
SION	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)		Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
DIMENSION	Storage Capacity	10.6 gal (40 L)		10.6 gal (40 L)
Ճ	Towing Capacity	1,830 lb (830 kg)		1,830 lb (830 kg)
	Fuel Capacity	5.1 gal (19.5 L)		5.1 gal (19.5 L)
	Gauge	7.6 in. wide d	ligital display	7.6 in. wide digital display
	Instrumentation	Phone storage	& USB charger	Phone storage & USB charger
	Ignition	RF Digitally Encoded Sec	curity System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
JRES	Lighting	LED headlights and taillights	LED headlights and taillights LED signature	LED headlights and taillights LED signature
FEATURES	Winch	3,500 lb (1,5)	-	3,500 lb (1,588 kg) winch
_	Seat	Standard Standard		Special Edition seat (color, stitching and material)
	Handlebar	Standard		Aluminum taper-profile handlebar with sport handguards
	Protection	Full skid plate, front bumper, rear bumper		Full skid plate, front bumper, rear bumper
EXTENDED SERVICE	Factory Warranty		6-month BRP limited warranty	
NDEDS	Extended Service Terms B.E.S.T. term available up to 36 months			

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

OUTLANDER X mr 850 / 1000R





C	OLOR OPTIONS	Granite Grey & Legion Red	Hyper Silver & Legion Red Granite Grey & Legion Red		
		850	1000R		
	Туре	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled with strategically positioned engine air intake	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled with strategically positioned engine air intake		
S	Fuel Delivery System	Intelligent Throttle (with Electronic Fuel	Control (iTC™) Injection (EFI)		
ENGINES	Transmission	pDrive primary CVT with strategically _I Extra low L / H			
	Drive Train	Selectable 2WD / 4WD / Lock 4WD v	with Visco-4Lok front differential		
	Driving Assistance	Work / Standard / Intelligent Engine t			
	Power Steering	Tri-Mode Dynamic Powe	er Steering (DPS™)		
S	Front Suspension	Arched doubl 7.5 in. (19 cm			
NOISN	Front Shocks	SHOWA Internal Floating	Piston (IFP) Shocks		
SUSPENSIONS	Rear Suspension	Arched doubl 10.2 in. (25.9 c			
	Rear Shocks	SHOWA Internal Floating Piston (IFP) Shocks			
TIRES / WHEELS	Tires Wheels	XPS Swamp Kin 14 in. alum			
ŒS	Front	Dual 214 mm disc brakes with hy	rdraulic twin-piston calipers		
BRAKES	Rear	Dual 214 mm disc brakes with hy	odraulic twin-piston calipers		
	Estimated Dry Weight*	1,071 lb (487 kg)			
ပ္သ	LxWxH	95.6 x 49.7 x 54.2 in. (242.9 x 126.2 x 137.6 cm)			
DIMENSIONS / CAPACITIES	Wheelbase	52.8 in. (134.2 cm)			
CAPA	Ground Clearance	13 in. (33 cm)			
NS /	Seat Height	37.8 in. (96 cm)			
OISN	Rack Capacity	Front: 120 lb (54.4 kg) / F	Rear: 240 lb (109 kg)		
DIME	Storage Capacity	1 gal (3.8	BL)		
	Towing Capacity	1,830 lb (83	30 kg)		
	Fuel Capacity	5.1 gal (19	9.5 L)		
	Gauge	7.6 in. wide digi	· · · · · · · · · · · · · · · · · · ·		
	Instrumentation	Phone storage & l			
	Ignition	RF Digitally Encoded Secur	rity System (D.E.S.S.™)		
FEATURES	Lighting	LED headlights and taillights	LED headlights and taillights LED signature		
FEAT	Winch	3,500 lb (1,588 kg) bumper mount			
	Seat	Special Edition seat (color, s			
	Handlebar	Standard	Aluminum tapered-profile handlebar with J-Hook, mud strap and 1 in. riser		
	Protection	Full skid plate, front m winch mount, re	nud bumper with ear bumper		
NTY & SERVICE	Factory Warranty	6-month BRP limit	ted warranty		
WARRANTY & EXTENDED SERVICE	Extended Service Terms	B.E.S.T. term available up to 36 months			

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER MAX	C DPS 850 / 1000R	OUTLANDER MA	X XT 850 / 1000R
cc	DLOR OPTIONS	Granit	te Grey	Fier	w Satin y Red Id Camo
		850	1000R	850	1000R
	Туре	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	82 hp / 66 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled
	Fuel Delivery System	Intelligent Throt with Electronic F	tle Control (iTC™) uel Injection (EFI)	Intelligent Throt with Electronic F	tle Control (iTC™) uel Injection (EFI)
ENGINES	Transmission		imary CVT N / R / P		imary CVT N / R / P
	Drive Train	Selectable 2V Visco-Lok† QE auto-lo	VD / 4WD with cking front differential	Selectable 2WD / 4WD with Visco-Lok [†] QE auto-locking front differential	Selectable 2WD / 4WD / Lock 4WD with Visco- 4Lok front differential
	Driving Assistance		d / Sport modes ne Braking (iEB™)		d / Sport modes ne Braking (iEB™)
	Power Steering	Tri-Mode Dynamic Po	ower Steering (DPS™)	Tri-Mode Dynamic F	Power Steering (DPS)
S	Front Suspension		uble A-arm 3 cm) travel	Arched double A-arm 10.75 in. (27.3 cm) travel	Arched double A-arm with sway bar 10.75 in. (27.3 cm) travel
SION	Front Shocks	Twin	-tube	Twin	r-tube
SUSPENSIONS	Rear Suspension	Arched double A-arm 12 in. (30.5 cm) travel		Arched double A-arm 12 in. (30.5 cm) travel	
	Rear Shocks	Twin-tube		Twin-tube	
TIRES / WHEELS	Tires Wheels	26 x 8/10 x 12 in. 12 in. aluminum	26 x 8/10 x 14 in. 14 in. aluminum	_	26 x 8/10 x 14 in. aluminum
	Front	Dual 214 mm disc brakes with	n hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers
	Estimated Dry Weight*	992 lb	(451 kg)	1,023 lb (465 kg)	
s	LxWxH	94.8 x 48.5 x 56.4 in. (2-	40.8 x 123.2 x 143.2 cm)	99 x 48.5 x 56.4 in. (252 x 123.2 x 143.2 cm)	
CITIE	Wheelbase	60.8 in. (154.4 cm)	60.8 in. (154.4 cm)
ONS / CAPACITIES	Ground Clearance	12 in. (30.5 cm)	12 in. (30.5 cm)	
NS / 6	Seat Height	37.8 in.	(96 cm)	37.8 in.	(96 cm)
	Rack Capacity	Front: 120 lb (54.4 kg)	/ Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	
DIMENSI	Storage Capacity	10.6 ga	al (40 L)	10.6 g	al (40 L)
	Towing Capacity	1,830 lb	(830 kg)	1,830 lb (830 kg)	
	Fuel Capacity	5.1 gal	(19.5 L)	5.1 gal (19.5 L)	
	Gauge	7.6 in. wide (digital display	7.6 in. wide (digital display
	Instrumentation	Phone	storage	Phone storage & USB charger	
	Ignition	RF Digitally Encoded Se	curity System (D.E.S.S.™)	RF Digitally Encoded Se	curity System (D.E.S.S.™)
JRES	Lighting	LED headlights and taillights	LED headlights and taillights LED signature	LED headlights and taillights	LED headlights and taillights LED signature
FEATURES	Winch	N	/A	3,500 lb (1,5	88 kg) winch
	Seat	Star	ndard	Star	ndard
	Handlebar	Standard		Star	ndard
	Protection	Full sk	id plate	Full skid plate, front	bumper, rear bumper
WARRANTY & EXTENDED SERVICE	Factory Warranty		6-month BRP li	imited warranty	
WARR, EXTENDE	Extended Service Terms		B.E.S.T. term availal	ble up to 36 months	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

COLOR OPTIONS			OUTLANDER MAX XT-P 1000R	OUTLANDER MAX Limited 1000R	
Part	C	OLOR OPTIONS	Mineral Grey & Orange Crush	Dusty Navy	
10 10 10 10 10 10 10 10			1000R	1000R	
Public primary OFT Schedule 2007 / MO / Loss More Vision Schedule 2007 / More Vision Sch		Туре	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	101 hp / 69 lb-ft, Rotax 999 cc V-twin, DOHC, liquid cooled	
		Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
	INES	Transmission	pDrive primary CVT L/H/N/R/P	pDrive primary CVT L / H / N / R / P	
	ENG	Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential	
Provided Supplementation		Driving Assistance			
1075 in 1273 can strated 10.75 in 1273 can strated 1		Power Steering	Tri-Mode Dynamic Power Steering (DPS)	Tri-Mode Dynamic Power Steering (DPS)	
	s	Front Suspension		I	
	NOISI	Front Shocks	FOX [†] 1.5 PODIUM [†] QS3	FOX† 1.5 PODIUM† QS3	
	SUSPER	Rear Suspension			
Protection Protection Protection Protection Protection Protec	0,	Rear Shocks	FOX ¹ 1.5 PODIUM ¹ QS3	FOX ⁺ 1.5 PODIUM ⁺ QS3	
Protection Protection Protection Protection Protection Protec	IIRES / VHEELS				
Part		Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	
1,0/1 cli (44% ftg)	BRAK	Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	
Wheelbase 60.8 in. (154.4 cm) 60.8 in. (154.4 cm)			1,025 lb (466 kg)	1,072 lb (487 kg)	
Storage Capacity Towing Capacity Fuel Capacity Gauge Tokin Institute of the storage & USB charger Instrumentation Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	"	LxWxH	99 x 48.5 x 56.4 in. (252 x 123.2 x 143.2 cm)	99 x 48.5 x 56.4 in. (252 x 123.2 x 143.2 cm)	
Storage Capacity Towing Capacity Fuel Capacity Gauge Tokin Institute of the storage & USB charger Instrumentation Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	SILIES	Wheelbase	60.8 in. (154.4 cm)	60.8 in. (154.4 cm)	
Storage Capacity Towing Capacity Fuel Capacity Gauge Tokin Institute of the storage & USB charger Instrumentation Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	SAPAC	Ground Clearance	12 in. (30.5 cm)	12 in. (30.5 cm)	
Storage Capacity Towing Capacity Fuel Capacity Gauge Tokin Institute of the storage & USB charger Instrumentation Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	NS / C	Seat Height	37.8 in. (96 cm)	37.8 in. (96 cm)	
Towing Capacity Fuel Capacity 5.1 gal (19.5 L) 5.1 gal (19.5 L) 5.1 gal (19.5 L) 5.1 gal (19.5 L) 6uge 7.6 in. wide digital display 10.25 in. touchscreen display Instrumentation Phone storage & USB charger RF Digitally Encoded Security System (D.E.S.S.™) RF Digitally Encoded Security System (D.E.S.S.™) LED headlights and taillights LED signature Winch 3,500 lb (1,588 kg) winch 3,500 lb (1,588 kg) winch with synthetic rope Seat Special Edition seat (color, stitching and material) Aluminum taper-profile handlebar with sport handguards Full skid plate, front bumper, rear bumper		Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)	
Fuel Capacity 5.1 gal (19.5 L) 6.2 in. touchscreen display 6.2 USB charger Phone storage & USB charger Phone storage	DIME	Storage Capacity	10.6 gal (40 L)	10.6 gal (40 L)	
Bauge 7.6 in. wide digital display 10.25 in. touchscreen display Instrumentation Phone storage & USB charger Phone storage & USB charger Ignition RF Digitally Encoded Security System (D.E.S.S.™) RF Digitally Encoded Security System (D.E.S.S.™) Lighting LED headlights and taillights LED signature Winch 3,500 lb (1,588 kg) winch 3,500 lb (1,588 kg) winch 3,500 lb (1,588 kg) winch with synthetic rope Seat Special Edition seat (color, stitching and material) Handlebar Aluminum taper-profile handlebar with sport handguards Full skid plate, front bumper, rear bumper		Towing Capacity	1,830 lb (830 kg)	1,830 lb (830 kg)	
Instrumentation		Fuel Capacity	5.1 gal (19.5 L)	5.1 gal (19.5 L)	
Ignition RF Digitally Encoded Security System (D.E.S.S.™) Lighting LED headlights and taillights LED signature LED headlights LED headlights LED signature Winch 3,500 lb (1,588 kg) winch 3,500 lb (1,588 kg) winch with synthetic rope Seat Special Edition seat (color, stitching and material) Special Edition seat (color, stitching and material) Handlebar Aluminum taper-profile handlebar with sport handguards Standard Protection Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper		Gauge	7.6 in. wide digital display	10.25 in. touchscreen display	
LED headlights and taillights LED signature Winch 3,500 lb (1,588 kg) winch Seat Special Edition seat (color, stitching and material) Handlebar Aluminum taper-profile handlebar with sport handguards Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper		Instrumentation	Phone storage & USB charger	Phone storage & USB charger	
Seat Special Edition seat (color, stitching and material) Special Edition seat (color, stitching and material) Handlebar Aluminum taper-profile handlebar with sport handguards Standard Protection Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper		Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)	
Seat Special Edition seat (color, stitching and material) Special Edition seat (color, stitching and material) Handlebar Aluminum taper-profile handlebar with sport handguards Standard Protection Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	URES	Lighting		LED headlights and taillights LED signature	
Handlebar Aluminum taper-profile handlebar with sport handguards Standard Protection Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper	FEAT	Winch	3,500 lb (1,588 kg) winch	3,500 lb (1,588 kg) winch with synthetic rope	
Protection Full skid plate, front bumper, rear bumper Full skid plate, front bumper, rear bumper		Seat	Special Edition seat (color, stitching and material)	Special Edition seat (color, stitching and material)	
		Handlebar	Aluminum taper-profile handlebar with sport handguards	Standard	
B A B A B A B A B A B A B A B A B A B A		Protection	Full skid plate, front bumper, rear bumper	Full skid plate, front bumper, rear bumper	
Extended Service Terms B.E.S.T. term available up to 36 months	Factory Warranty 6-month BRP limited warranty			imited warranty	
	WARRA :XTENDED		B.E.S.T. term availal	ble up to 36 months	

¹Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		OUTLANDER MAX 6X6 DPS 450	OUTLANDER MAX 6X6 DPS 650	OUTLANDER MAX 6X6 XT 1000
CC	DLOR OPTIONS	Tundra Green	Tundra Green	Boreal Green
	_	450	650	1000
	Туре	38 hp, Rotax* 427 cc single-cylinder, liquid-cooled	62 hp, Rotax* 650 cc V-twin, liquid-cooled	82 hp, Rotax* 976 cc V-twin, liquid-cooled
	Fuel Delivery System	Electronic Fuel Injection (EFI)	Electronic Fuel Injection (EFI)	Electronic Fuel Injection (EFI)
ENGINES	Transmission	CVT Extra low L / H / N / R / P	CVT Extra low L / H / N / R / P	CVT Extra low L / H / N / R / P
ENG	Drive Train	Selectable 4WD / 6WD with Visco-Lok [†] QE auto-locking front differential	Selectable 4WD / 6WD with Visco-Lok [†] QE auto-locking front differential	Selectable 4WD / 6WD with Visco-Lok [†] QE auto-locking front differential
	Driving Assistance	N/A	N/A	N/A
	Power Steering	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
s	Front Suspension	Double A-arm 9 in. (22.9 cm) travel	Arched double A-arm with sway bar 9.2 in. (23.3 cm) travel	Arched double A-arm with sway bar 9.2 in. (23.3 cm) travel
ISION	Front Shocks	Twin-tube	Twin-tube	Twin-tube
SUSPENSIONS	Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22.4 cm) travel	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel
	Rear Shocks	Twin-tube	Twin-tube	Twin-tube
WHEELS	Tires Wheels	Carlisle [‡] ACT HD 26 x 8/10 x 12 in. 12 in. cast aluminum	ITP [†] Terracross 26 x 8/10 x 14 in. 14 in. cast aluminum	ITP† Terracross 26 x 8/10 x 14 in. 14 in. cast aluminum
BRAKES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston caliper
BRA	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston caliper
	Estimated Dry Weight*	1,000 lb (454 kg)	1,100 lb (499 kg)	1,170 lb (531 kg)
· 0	LxWxH	118 x 46 x 57 in. (300 x 117 x 145 cm)	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)
DIMENSIONS / CAPACITIES	Wheelbase	90 in. (228.5 cm)	90 in. (228.5 cm)	90 in. (228.5 cm)
APA	Ground Clearance	10.5 in. (26.7 cm)	11 in. (27.9 cm)	11 in. (27.9 cm)
2/5/	Seat Height	33.8 in. (85.8 cm)	34.5 in. (87.7 cm)	34.5 in. (87.7 cm)
SION	Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 350 lb (159 kg)	Front: 100 lb (45 kg) / Rear: 700 lb (318 kg)	Front: 100 lb (45 kg) / Rear: 700 lb (318 kg)
JIME	Storage Capacity	2.9 gal (10.9 L)	Dual-level cargo box with sidewalls and tailgate 18.5 gal (70 L)	Dual-level cargo box with sidewalls and tailgate 18.5 gal (70 L)
_	Towing Capacity	1,650 lb (750 kg)	1,650 lb (750 kg)	1,650 lb (750 kg)
	Fuel Capacity	5.4 gal (20.5 L)	5.4 gal (20.5 L)	5.4 gal (20.5 L)
	Gauge	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display
	Instrumentation	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)
FEATURES	Lighting	70 W headlights	LED headlights	LED headlights
FEAL	Winch	Prewired for available winch	Prewired for available winch	3,500 lb (1,588 kg) winch
	Seat	Convertible Rack System (CRS)	Convertible Rack System (CRS)	Convertible Rack System (CRS)
	Handlebar	Standard	Standard	Standard with wind deflectors
	Protection	Central skid plate	Central skid plate	Heavy-duty front bumper Central skid plate
EXTENDEDSERVICE	Factory Warranty		6-month BRP limited warranty	
ENDED	Extended Service Terms		B.E.S.T. term available up to 36 months	

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.

		RENEGADE 650	RENEGADE X xc 1000R	RENEGADE X mr 650	RENEGADE X mr 1000R
cc	DLOR OPTIONS	Catalyst Grey & Orange Crush	Catalyst Grey & Orange Crush	Catalyst Grey & Orange Crush	Scandi Blue & Orange Crush Hyper Silver & Legion Red
		650	1000R	650	1000R
	Туре	62 hp, Rotax* 650 cc V-twin, liquid-cooled	91 hp, Rotax* 976 cc V-twin, liquid-cooled	62 hp, Rotax® 650 cc V-twin, snorkeled, liquid-cooled	91 hp, Rotax* 976 cc V-twin, snorkeled, liquid-cooled
	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	CVT L/H/N/R/P	CVT L/H/N/R/P	CVT L/H/N/R/P	CVT Extra low L / H / N / R / P
	Drive Train	Selectable 2WD / 4WD with Visco-Lok [†] auto-locking front differential	Selectable 2WD / 4WD with Visco-Lok† QE auto-locking front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4 Lok [†] front differential	Selectable 2WD / 4WD / Lock 4WD with Visco-4 Lok [†] front differential
	Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
	Power Steering	N/A	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)	Tri-Mode Dynamic Power Steering (DPS™)
SN	Front Suspension	Arched double A-arm with sway bar 9.2 in. (23.3 cm) travel	Arched double A-arm with sway bar 9.2 in. (23.3 cm) travel	Arched double A-arm with sway bar	Arched double A-arm with sway bar
OISN	Front Shocks	SHOWA gas shock	FOX† 1.5 PODIUM† RC2	SHOWA gas shock	FOX [†] 1.5 PODIUM [†] QS3
SUSPENSIONS	Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel	Torsional Trailing arm Independent (TTI)	Torsional Trailing arm Independent (TTI)
	Rear Shocks	SHOWA gas shock	FOX† 1.5 PODIUM† RC2	SHOWA gas shock	FOX† 1.5 PODIUM† QS3
шш	Tires Wheels	ITP† Holeshot† ATR 25 x 8/11 x 12 in. 12 in. cast aluminum	ITP [†] Holeshot [†] ATR 25 x 8/11 x 12 in. 12 in. cast aluminum beadlock	ITP [†] Mega Mayhem [†] 28 x 8/10 x 12 in. 12 in. cast aluminum beadlock	ITP ⁺ Cryptid 30 x 9/9 x 14 in. 14 in. cast-aluminum beadlock
KES	Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Dual 214 mm disc brakes with hydraulic twin-piston calipers
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper	Single 214 mm disc brake with hydraulic twin-piston caliper
	Estimated Dry Weight*	750 lb (340 kg)	795 lb (361 kg)	870 lb (395 kg)	971 lb (440 kg)
	LxWxH	86 x 48 x 49 in. (218.4 x 121.9 x 124 cm)	86 x 48 x 49 in. (218.4 x 121.9 x 124 cm)	83 x 50 x 56 in. (224 x 127 x 131 cm)	83 x 50 x 56 in. (224 x 127 x 131 cm)
SIONS / CAPACITIES	Wheelbase	51 in. (129.5 cm)	51 in. (129.5 cm)	51 in. (129.5 cm)	51 in. (129.5 cm)
CAPA	Ground Clearance	10.5 in. (26.7 cm)	10.5 in. (26.7 cm)	12 in. (30.5 cm)	12.5 in. (31.8 cm)
NS/0	Seat Height	34.5 in. (87.7 cm)	34.5 in. (87.7 cm)	35.3 in. (89.5 cm)	36.8 in. (93.3 cm)
NSIO	Rack Capacity	Rear: 35 lb (16 kg)	Rear: 35 lb (16 kg)	Rear: 35 lb (16 kg)	Rear: 35 lb (16 kg)
DIMEN	Storage Capacity	N/A	N/A	N/A	N/A
_	Towing Capacity	1,300 lb (590 kg)	1,300 lb (590 kg)	1,300 lb (590 kg)	1,300 lb (590 kg)
	Fuel Capacity	5.4 gal (20.5 L)	5.4 gal (20.5 L)	5.4 gal (20.5 L)	5.4 gal (20.5 L)
	Gauge	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display
	Instrumentation	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector	DC outlet, 15 A connector
	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™)	RF Digitally Encoded Security System (D.E.S.S.™) with cord	RF Digitally Encoded Security System (D.E.S.S.™) with cord
ES	Lighting	LED headlights	LED headlights	LED headlights	LED headlights
FEATURES	Winch	Prewired for available winch	Prewired for available winch	Prewired for available winch	3,500 lb (1,588 kg) winch
뿐	Seat	Standard	Standard	Standard	Standard
	Handlebar	Standard	Aluminum taper-profile handlebar with full wrap handguards	Aluminum taper-profile handlebar with grab handle and full wrap handguards	Aluminum taper-profile handlebar with grab handle and full wrap handguards
	Protection	Central skid plate	Front bumper Front and central skid plate	Front and rear bumpers Mudguards Front and central aluminum skid plate	Front and rear bumpers Mudguards Front and central aluminum skid plate
WARRANTY & EXTENDED SERVICE	Factory Warranty		6-month BRP li	imited warranty	
≅8	Extended				

 $^{^{\}dagger}$ Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. † Base model dry weight shown.

		RENEGADE 70 EFI	RENEGADE 110 EFI	RENEGADE X xc 110 EFI	DS 250
		2 (2)			
		0	000	000	
С	OLOR OPTIONS	Catalyst Grey & Neo Yellow Nordic Teal & Black	Catalyst Grey & Neo Yellow Nordic Teal & Black	Black & Legion Red	Black & Can-Am Red
	T	70 EFI	110 EFI	110 EFI	250
	Туре	4-stroke single-cylinder, air-cooled	112 cc 4-stroke single-cylinder, air-cooled	112 cc 4-stroke single-cylinder, air-cooled	250 cc 4-stroke single-cylinder, liquid-cooled
	Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter	Electronic Fuel Injection (EFI) with built-in throttle limiter	Electronic Fuel Injection (EFI) with built-in throttle limiter	Carburetion
ENGINES	Transmission	CVT F/N/R	CVT F/N/R	CVT F/N/R	CVT F/N/R
	Drive Train	Chain driven / 2WD Electric starting system	Chain driven / 2WD Electric starting system	Chain driven / 2WD Electric starting system	Chain driven / solid axle
	Driving Assistance	N/A	N/A	N/A	N/A
	Power Steering	N/A	N/A	N/A	N/A
	Front Suspension	Single A-arm 5 in. (12.7 cm) travel	Single A-arm 5 in. (12.7 cm) travel	Double A-arm 5.5 in. (14 cm) travel	Double A-arm 5.5 in. (14 cm) travel
SIONS	Front Shocks	Twin-tube	Twin-tube	Gas with piggyback reservoirs	Twin-tube
SUSPENSIONS	Rear Suspension	Swingarm 6 in. (15.2 cm) travel	Swingarm 6 in. (15.2 cm) travel	Swingarm 6 in. (15.2 cm) travel	Swingarm 6.7 in. (17 cm) travel
S	Rear Shocks	Twin-tube	Twin-tube	Gas	Twin-tube
TIRES / WHEELS	Tires Wheels	17 x 7/8 x 8 in. 8 in. steel	Front: 19 x 7 x 8 in. Rear: 18 x 9.5 x 8 in. 8 in. steel	Front: 19 x 7 x 8 in. Rear: 18 x 9.5 x 8 in. 8 in. steel	Front: Kenda 22 x 7 x 10 in. Rear: Kenda 20 x 11 x 9 in. Front: 10 in. black steel / Rear: 9 in. black steel
BRAKES	Front	Dual drum brakes	Dual drum brakes	Dual drum brakes	Dual hydraulic disc brakes
BRA	Rear	Single drum brakes	Single drum brakes	Single drum brakes	Single hydraulic disc brake
	Estimated Dry Weight*	290 lb (130 kg)	295 lb (134 kg)	310 lb (140 kg)	429 lb (195 kg)
	LxWxH	59 x 38 x 36 in. (150 x 97 x 92 cm)	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)	60.6 x 42 x 38.6 in. (154 x 108 x 98 cm)	72 x 40.5 x 43.5 in. (183 x 103 x 110.5 cm)
TIES	Wheelbase	39 in. (99 cm)	41 in. (105 cm)	41 in. (105 cm)	47 in. (118.7 cm)
DIMENSIONS / CAPACITIES	Ground Clearance	7.3 in. (18.5 cm) under frame / 3.5 in. (9 cm) under rear axle	8.3 in. (21.1 cm) under frame / 4.5 in. (11.4 cm) under rear axle	8.3 in. (21.1 cm) under frame / 4.5 in. (11.4 cm) under rear axle	10.2 in. (26 cm) center of ATV / 4.5 in. (11.4 cm) under rear axle
NS / G	Seat Height	26 in. (68 cm)	28 in. (71 cm)	28 in. (71 cm)	31.5 in. (80 cm)
OISN	Rack Capacity	N/A	N/A	N/A	N/A
DIME	Storage Capacity	N/A	N/A	N/A	N/A
	Towing Capacity	N/A	N/A	N/A	N/A
	Fuel Capacity	1.6 gal (6 L)	1.6 gal (6 L)	1.6 gal (6 L)	3.3 gal (12.5 L)
	Gauge	Neutral, reverse, fuel level and check engine lights	Neutral, reverse, fuel level and check engine lights	Neutral, reverse, fuel level and check engine lights	Neutral light, reverse light and oil/temperature light
	Instrumentation	N/A	N/A	N/A	N/A
	Ignition	Mechanical key	Mechanical key	Mechanical key	Mechanical key
, s	Lighting	Halogen running headlights	Halogen running headlights	Halogen running headlights	2 headlamps (35 W) with tail light and brake light
FEATURES	Winch	N/A	N/A	N/A	N/A
🖁	Seat	Standard	Standard	Standard	Standard
	Handlebar	Ergonomics and controls sized for 6 years old and up	Ergonomics and controls sized for 10 years old and up	Sport handguards Ergonomics and controls sized for 10 years old and up	Standard
	Protection	Front bumper Removable footboard spacers	Front bumper	Front bumper	N/A
	Warranty	6-month BRP limited warranty	6-month BRP limited warranty	6-month BRP limited warranty	6-month BRP limited warranty

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH. All other trademarks are the property of their respective owners. *Base model dry weight shown.





G2, G2L, G2S ACCESSORIES

LinQ: Easy On, Easy Off Cargo	2
Racks & Holders	2
Cargo & Storage	3
Can-Am Windshields	3
Handlebars & Mirrors	3
Seats	3
HMWPE Skid Plates	3
Aluminum Skid Plates	3
HMWPE & Aluminum Skid Plates	3
Bumpers & Guards	3
Lights & Electrical	4
Winches	4
Hitches	4
Performance	4
Covers, Decals & Add-Ons	4
Apache Track Systems	5
ProMount Plows	5



BUNDLE UP TO NEVER COMPROMISE. YOUR ATV BUNDLES.

STEP 1:

CHOOSE YOU	IR ESSENTIAL BUNDLE	G2L G2L MAX	G2 G2 MAX	
	LinQ Base	715002350	N/A	
STARTER	LinQ 23 Gal (86 L) Trunk Box	715004923	715004923	
	Handlebar Wind Deflectors	715001706	715001706	
	LinQ Heavy-Duty Basket	715001215	715001215	
ADVANCED	LinQ Tool Kit	715006829	715006829	
	Handlebar Mirrors	715005366	715005366	
PEAK	Bluetooth Handlebar Soundbar by MTX	219400840	219400840	

SIEF Z: Pick Your <i>f</i>	NDD-ON BUNDLE	G2L G2L MAX	G2 G2 MAX
	Self-Clearing Footwells	715004759	715004759
	Electronic Device Holder	715004919	715004919
ADVENTURE	Storage 2.6 Gal (10 L) Bag	269502121	269502121
	Fender Flares	715001909	N/A
	Mud Flaps	N/A	715007089
	LinQ Gear Grips	715005340	715005340
HINT	Gun Boot Rack	715001918	715002113
HUNT	Gun Boot 6.0 Impact by Kolpin	715001419	715001419
	Expedition Front Bumper	715007233	715007233
	Large Cargo Box	715007001	715007001
NODIC	LinQ Tool Holder	715007358	715007358
NORK	USB Power Outlet Kit	219400510	219400510
	Rachet Tie-Downs	715008309	715008309
	Seat Heater	715007211	715007211
WINTER	Heavy-Duty Seat Cover	715007212	715007212
	High Windshield Kit	715006382	715006382

LINQ: EASY ON, EASY OFF CARGO



LINQ ACCESSORIES

Compatibility/requirements

 No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. 	OUTLANDER 450/570	OUTLANDER	RENEGADE
LinQ Accessories with 16" Base	 Lower loading capacity tha 	inches apart, center-to-center. n the LinQ with 36" base acce FV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White			
LinQ Tool Box 715008111 LinQ SR 5.5 Gal (21 L) Bag			LinQ Luggage Rack 715001734 &
860202449 LinQ 4.5 Gal (17 L) Sport Bag 860202447	LinQ Adapter Plate 715007273 &	LinQ Anchor Adapter Kit 715004960 &	LinQ Anchor Adapter Kit 715004960 OR
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	LinQ Adapter Plate 715007274 &
LinQ Tool Kit 715006829			LinQ Base Installation Kit 715008125
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base		
LinQ 23 Gal (86 L) Trunk Box 715004923	715002350		
LinQ 32 Gal (121 L) Trunk Box 715001747 (1-up) 715001749 (MAX)	No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350	No further requirements	LinQ Luggage Rack
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black / 715004698 • Gray	No compatibility	·	715001734
LinQ Premium Storage Bag by OGIO 715002923 • Black			
LinQ Heavy Duty Basket 715001215	LinQ Base 715002350		
LinQ Low Profile Basket 715004282			
LinQ Holders			
LinQ 4" (10 cm) Rack Extension 715001711 • Silver / 715001665 • Black	Not compatible *Alternative 5" or 8" Rack		
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black	Extensions (715001913 or 715001914) are available for G2L		LinQ Luggage Rack
LinQ Mounted Gear Grips 715005340	LinQ Base	No further requirements	715001734
LinQ Tool Holder 715007358	715002350		
LinQ Gun Boot Rack 715002112 715002113	Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L		No compatibility

LinQ Accessories with 16" Base



- · Allows stacking of other modular boxes to always have the right gear accessible.
- · Always have the right box size to fit everything.
- · Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)	G2, G2L, G2S	219401110	\$59.99
--	--------------	-----------	---------



- · Insulated liner.
- · Fits very well in the LinQ Modular Box (10 L).
- · Can contain seven 355 ml cans.
- · Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 21/2" H.

LinQ Tool Kit		G2, G2L, G2S		715006829		\$329.99
	Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench %" drive f" ratchet extension Integrated CVT belt storage location (belt not included)	- Long-socket 19 mm %" drive - 6 pts - Socket 18 mm %" drive - Long-socket 17 mm %" drive - 6 pts - Socket 15 mm %" drive - Socket 13 mm %" drive - Socket 10 mm %" drive - Socket 8 mm %" drive	- Socket Torx - Socket Torx - Socket Torx - Socket Torx - Breaker bar - Combination - Wrench 19 m - Wrench 15 m	T30 %" drive T20 %" drive %" drive Wrench set:	- Wrench 13 r - Wrench 10 r - Wrench 8 n - See table for location and	nm nm
LinQ 4.2 Gal (16 L) Cooler		G2, G2L, G2S		219400964 295100698		\$369.99

• All the benefits of LinQ—simple, fast and secure.

- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.
- Can contain twenty 355 ml cans.
- Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions : 9" L x 17" W x 7" H.
- See table for installation location and requirements.

LinQ Tool Box G2, G2L, G2S 715008111 \$179.99



- $\bullet \ \ \mbox{High precision injected HDPE construction provides rigidity and durability}.$
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
 Easy one-second on/off tool-less system.
- All the benefits of LinQ simple, fast and secure.
- All the benefits of LinQ simple, fast and secure.
- · See table for installation location and requirements.

LinQ Roll-Top Bag G2, G2L, G2S 715008110 \$229.99



2025

- Fully waterproof Roll-Top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle
- Marinized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.



- · Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- · See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag

G2, G2L, G2S

860202447

\$209.99



- All the benefits of LinQ simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- · Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- Premium insulating foam for optimal ice retention.
- Rigid bottom, semi-rigid top.
- · Easy one-second on/off tool-less system.
- · See table for installation location and requirements.

LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S

715003879

\$319.99



- · LinQ mounted for easy on, easy off installation.
- · Holds cargo safely and securely while riding.
- · See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

G2 (except 6x6 models), G2L, G2S

715004923

715001747

\$369.99



- · LinQ mounted for easy on, easy off installation.
- · Lockable and weather-resistant.
- · Holds cargo safely and securely while riding.
- Comfort pads for passenger.
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

zaropour voroien (ze compilant)

G2 (except MAX models & 6x6), G2S

European Version (EC compliant)

715001748 · No rear tail light.

\$539.99

\$489.99



- · LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- · See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box for Outlander Max

G2 (MAX models only except 6x6 models)

715001749

r Outlander Max European Version (EC compliant)

· Color panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.

715001750 · No rear tail light.

\$629.99



- Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed
 passenger padding, which is comfort-fitted with a portion made of closed cell foam that won't absorb water.
- · Very easy to embark even when driver is seated.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).

LinQ 32 Gal (121 L) Trunk Box Panels

G2 (except 6x6 models), G2S

\$59.99



- 715001391 · Black ■ 715001392 · Yellow
- 715002481 · White
- 715002480 · Light Gray
- **715002984** · Octane Blue

- 715002985 · Manta Green
- **715002986** · Can-Am Red
- **715006119** · Orange Crush
- **715006120** · Squadron Green **715007074** · Tundra Green

(Not illustrated)

EUROPEAN VERSION (EC compliant)

\$59.99

- Color panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.
- · No rear tail light.

■ 715001397 · Black

715001398 · Yellow

■ 715006124 · Viper Red □ 715002483 · White 715006122 · Manta Green

715006121 · Can-Am Red **715006123** · Orange Crush

LinQ 11.5 Gal (43 L) Audio Cargo Box

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S

715003018

\$799.99



- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding.
- · Water-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier.
- · See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

G2 (except 6x6 models), G2S

■ 715004778 · Black

715004776 Black

\$449.99



- · LinQ mounted for easy on, easy off installation.
- · Rotomolded construction provides exceptional rigidity and durability.
- · Premium-quality foam insulation for optimal ice retention.
- · Integrated, fully-removable compartment protects food.
- · Robust rubber latches keep the cover tightly closed.
- · Weather-resistant.
- · Convenient drain plug.
- · See table for installation location and requirements.

LinQ Premium Storage Bag by OGIO

G2 (except 6x6 models), G2L, G2S

■ 715002923 · Black

\$499.99



- · LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- ${\boldsymbol{\cdot}}$ See table for installation location and requirements.

LinQ Low Profile Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715004282

\$209.99



- · Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- · Made of impact-resistant injected polypropylene.
- See table for installation location and requirements.

LinQ Heavy-Duty Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715001215

\$279.99



- · Made of high-strength, low-alloy steel.
- LinQ mount for easy on, easy off installation.
- $\boldsymbol{\cdot}$ Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements.

Large Cargo Box

G2, G2L (except 6x6)

715007001

\$639.99

27



2025

- · Rear bed to carry large items.
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

LinQ Holders

LinQ Tool Holder G2, G2L, G2S 715007358 \$59.99



- · Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- · Sold in pairs.
- G2S: LinQ Luggage Rack (715001734) is required for installation.

LinQ Gear Grips G2, G2L, G2S 715005340 \$149.99



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- ${\boldsymbol{\cdot}}$ Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the Gear Grips with the LinQ system.
- 360° orientation.
- · Sold in pairs.

LinQ Mounting

LinQ Anchor Adapter Kit G2, G2S 715004960 \$79.99



- Allows the installation of accessories with LinQ Base of 16" on LinQ racks.
- · Tool-less installation and removal.
- For G2S, the LinQ Luggage Rack (715001734) is required for installation.

LinQ Base G2L 715002350 \$24.49



- Made of glass fiber reinforced polypropylene.
- Allows you to install LinQ accessories.
- · Sold in pack of 4.

LinQ Lock G2, G2L, G2S 860201968 \$62.99



- · Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.

LinQ Replacement Parts 715001707 \$29.99



- Unique mounting fastener usable on any LinQ system accessory.
- Tool-less installation and removal.
- Sold in pairs.

28

RACKS & HOLDERS



LinQ Rack Extension - 4" (10 cm)

G2, G2S

■ **715001711** · Silver ■ **715001665** · Black

\$239.99



· Fits front or rear.

- · Strong and durable.
- · Helps keep cargo securely in place.
- Easy and tool-less installation thanks to the LinQ system.
- · Anti-corrosion coating with durable powder coat finish.
- · LinQ Luggage Rack (715001734) is required for G2S.

LinQ Rack Extension - 6" (15 cm)

G2. G2S

■ 715001712 · Silver ■ 715001671 · Black

\$249.99



· Fits front or rear.

- · Strong and durable.
- · Helps keep cargo securely in place.
- · Easy and tool-less installation thanks to the LinQ system.
- · Anti-corrosion coating with durable powder coat finish.
- · LinQ Luggage Rack (715001734) is required for G2S.

Rack Extension - 5" (13 cm)

G2L

715001913

\$139.99



· Fits front or rear.

- · Made of carbon steel.
- · Provides tie-down points to secure cargo on racks.
- · Easy installation on tubular rack.
- · Anti-corrosion coating with durable powder coat finish.

Rack Extension - 8" (20 cm)

G2L

715001914

\$159.99



· Fits front or rear.

- · Made of carbon steel.
- Provides tie-down points to secure cargo on racks.
- · Easy installation on tubular rack.
- · Anti-corrosion coating with durable powder coat finish.

LinQ Luggage Rack

G2S (except X mr models)

715001734

\$319.99



· Bolt-on rack.

· Enables use of LinQ mounted accessories on the G2S.

LinQ Base Plate

G2

715007273

\$119.99



- Enables use of 16" wide LinQ Base accessories on G2L to extend cargo options and journey opportunities.
- Requires LinQ Base Kit (715008125).

LinQ Base Plate

G2S

715007274

\$149.99



- Enables use of 16" wide LinQ Base accessories on G2S to extend cargo options and journey opportunities.
- Requires LinQ Base Kit (715008125).

Gun Boot Rack

G2L (except MAX models) 715001918 G2L (MAX models only) 715001919 \$154.99



- Made of steel.
- · Designed for the tubular rack.
- · For use with Gun Boot 6.0 Impact by Kolpin.
- · Can be mounted to either side of the vehicle.

Gun Boot 6.0 Impact† by Kolpin†

G2, G2L

715001419

\$109.99



- Extra room for pistol-grip-type weapons and small bipods.
- Easily fits firearms up to 51" (130 cm) in total length.
- Provides ample room for 2¾" (60 mm) scopes.
- · Hatchback design allows easy access.
- · Ergonomically designed handle and molded attachment points for sling.
- · Snap-close cover with locking capability.
- Designed to accommodate left and right hand bolt-action rifles and shotguns.
- · Includes removable, shock absorbing foam and nylon impact liner for superior interior protection.
- · Requires appropriate mounting kit for installation.

LinQ (Gun	Boot	Rack
(Not illus	strate	d)	

G2 (except MAX, 6x6 & X mr 1000) G2 (MAX & X mr 1000 models only)

715002112 715002113 \$184.99 \$144.99

· This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ system.

· For use with Gun Boot 6.0 Impact by Kolpin.

Multi-Fit Holder

G2. G2L

715002354 · Single 715001945 · Double \$62.99 \$99.99

or bumpers.

- · Open U-shaped bracket for carrying tools (shovel, axe)
- and hunting weapons (rifle, bow) that are safely secured, Easy installation on tubular rack, extension racks, basket
- For G2, the LinQ Rack Extension (715001711) is required.
- · Sold in pairs.

LinQ Gear Grips

715001421

\$92.99



- · Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm)
- · Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- · Heavy-duty base system built for the toughest adventures.
- · Easy installation on tubular racks, extension racks, brackets or bumpers.
- · Sold in pairs.

CARGO & STORAGE



Log Bars

G2 (6x6 models only)

715001987

\$1,159.99



- Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber.
- The driver's safety is guaranteed by the protective front screen.

Hard Top

30

G2 (6x6 models only)

715002394

\$1,099.99



- The hard top provides a 116 gal (440 L) cargo box.
- · Locking secures your belongings.
- The cover raises assisted by gas cylinders.

 Cargo Box Pool
 G2L (6x6 models only)
 715005256
 \$389.99



- Transforms the flatbed into a large capacity cargo box for increased loading possibilities.
- Made of durable formed HDPE and shaped to maximize cargo space.
- Allows access to vehicle's water-resistant rear compartment.
- $\boldsymbol{\cdot}$ Designed for perfect fit and easy installation.

Tailgate Extension/Divider

G2 (6x6 models only)

715002017

\$509.99



• The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space.

- Thanks to the longer cargo bed, even large loads pose no problem.
- · With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed.

Tarpaulin G2 (6x6 models only) 715002416 \$399.99



- · Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering cargo box.
- Easily removable for quick access.

18 Gal (70 L) Utility Box G2 (6x6 models only) 715001999 \$559.

- ${\boldsymbol \cdot}$ Wherever you go and whatever you do, this handy 18 gal (70 L) utility box is your mobile storage.
- The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.

 Cargo Box Net
 G2 (6x6 models only)
 715001371
 \$71.99



 Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.



- 3 -section bag.
- Transport gear in a weatherproof bag.
- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage.
- · LinQ Luggage Rack (715001734) is required for G2S.

Storage 2.6 Gal (10 L) Bag 269502121 \$37.99



- Roll-top dry bag for fully protecting your cargo from the elements.
- Fits in rear compartment of your vehicle.

CAN-AM WINDSHIELDS



Deluxe Fairing

G2 (except X mr & 6x6), G2L

■ 715001232 · Black 715000935 · Yellow 2000 715002479 · Light Gray ■ 715006125 · Squadron Green ■ 715007073 · Tundra Green

\$259.99



- · Innovative, richly featured wind protection.
- · Quick tool-less removal once base brackets are mounted
- · Two cup holders.
- · Ready for GPS mounting kit.

- · Optional mirrors and auxiliary lighting.
- · Requires low, high or extra high windshield.
- · Tapered Handlebar Adapter Kit is required for vehicles with 11/8" (28 mm) tapered aluminum handlebars.

Tapered Handlebar Adapter Kit (Not illustrated)

Deluxe Fairing

715002470

\$32.99

• Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 11/8" (28 mm) tapered aluminum handlebars.

Extra High Windshield

Deluxe Fairing

715000936

\$129.99



- 16" (41 cm) windshield provides the ultimate protection against the elements while touring.
- · For wind protection and winter applications.
- · Tool-less installation and replacement.

High Windshield

Deluxe Fairing

715001211

\$85.99



- 11" (28 cm) high, for wind protection and winter applications.
- Tool-less installation and replacement.

Low Windshield

Deluxe Fairing

715001227

\$79.99



- 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting.
- · Tool-less installation and replacement.

Accessories

Auxiliary Windshield Lighting

Deluxe Fairing

715003115

\$389.99



- 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1,800 lumens.
- 2 x 10 W LED Cree light kit.
- · Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

Deluxe Mirror Kit

Deluxe Fairing

715002353

\$71.99



- · Improved mounting system.
- · Wide rear view.
- · Perfect fit with your Deluxe Fairing.

Windshield Kits

Extra High Windshield Kit

G2, G2L, G2S (except X mr models)

715003023

\$299.99



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 16" (41 cm) windshield.
- · For ultimate wind protection and winter applications.

High Windshield Kit

G2, G2L, G2S (except X mr models)

715006382

\$259.99



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- · Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 11" (28 cm) windshield.
- · For wind protection and winter applications.

Low Windshield Kit

G2, G2L, G2S (except X mr models)

715003021

\$219.99



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride
- Quick tool-less removal once base brackets are mounted on handlebar.
- · Fits straight and tapered handlebars.

- Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 6" (15 cm) windshield.
- Allows you to keep your vehicle looking sporty while giving you some protection from the elements.

HANDLEBARS & MIRRORS



Handlebar Wind Deflectors

G2, G2L, G2S

\$32.99



- Rugged injected plastic construction with Can-Am logo.
- Include removable cap for air flow adjustment.
- Mounting kit sold separately.
- **715000525** · Black / Yellow
- 715000537 · White / Black 715001706 · Black / Black
- 715003811 · Can-Am Red / Black 715003812 · Manta Green / Black
- **715003813** · Orange / Black
- 715003814 · Octane Blue / Black
- 715006117 · Squadron Green / Black
- 715006118 · Viper Red / Black

Passenger Wind Deflectors

G2 and G2L (MAX models only)

715001669

\$92.99



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- · Easy to install and remove.

Full Wrap Aluminum Mounting Kit

G2, G2L, G2S

715001378

\$129.99



- Lightweight black die cast aluminum construction.
- Includes complete hardware.
- Handlebar wind deflectors sold separately.

Aluminum Tapered Handlebar

G2, G2L, G2S

715000550

\$119.99



- %" 11/8" (22 mm 28 mm) tapered handlebar made of 6061-T6 aluminum.
- Includes all hardware, center steering foam and cover.



708200963





- · Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- · Matte finish.
- Stem includes %" (10 mm) thread.
- Bracket (715000190) is required for installation on DS 450.
- Bracket not required for installation on Outlander and Renegade.

Mirrors	Right - 3	⁄s" (10 mr	n)
(Not illustre	atad)		

G2, G2L, G2S

709400523

\$33.99

- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes 3/4" (10 mm) thread.

 Bracket (715000190) required except for vehicles with right hand brake.

Handlebar Mirrors

G2, G2L, G2S

715005366

\$69.99



- · Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- · Doesn't require a windshield or fairing to be mounted.
- Works with all windshield options.

SEATS







- · Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.
- · Adjusts horizontally to match the driver's height and preference.
- · Mounts and locks firmly onto the vehicle.

Outlander Max Passenger Seat Kit

G2 2015 & up, G2L (MAX models only)

715002373

\$699.99



• Perfect to replace used or damaged passenger seat.





Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- · Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

OUTLANDER, RENEGADE

		G2					G2L		G2S		
		2016 & Prior		2017-2018		2019 & Up				2017- 2018	2019- 2022
		Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HI	HMWPE Skid Plate Protection Kit										
		715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
Individual HMWPE Skid Plates											
1	A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
2	Underbelly Plates Footwell portion not compatible with Renegade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
3	Trailing Arm Protectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823





For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/6" (4.5 mm) thick High Strength 5052 H32 Aluminum.

- Ultimate durability.
- · High strength.

OUTLANDER

	G2						G2L	
	2016 & prior		2017-2018		2019 & Up		Any year	
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
Aluminum Skid Plate Protection Kit								
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plates								
1 A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922 (except X mr 850 models)	715000922	715000922	715000922
5 Trailing Arm Protectors	-	_	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
7 Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES





For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/6" (4.5 mm) thick High Strength 5052 H32 Aluminum.


- Ultimate durability.
- · High strength.

RENEGADE

	G2S			
	2016 & prior	2017-2018	2019-2022	2023 & up
Aluminum Skid Plate Protection	on Kit			
Not compatible on X mr models	715002139	715004201	715004808	715009730
Individual Aluminum Skid Plat	es			
② A-Arm Protectors	715001667	715001667	715004820	715004820
② Front Skid Plate	715000925	715000925	715000925	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078
4 Footwell Protector Plates Not compatible on X mr models	715001359	715001359	715001359	715001359
5 Trailing Arm Protectors	715001129	715008595	715004821	715004821
Rear Differential Protectors	715000920	715000920	715000920	715000920
7 Rear Skid Plate	715002028	715002028	715002028	715002028

HMWPE & ALUMINUM SKID PLATES





Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- · Lighter than aluminum.
- Superior stress crack resistance.
- · High impact strength.

ALUMINUM

Made with High Strength %6" (4.5 mm) thick 5052 H32 Aluminum.

- · Ultimate durability.
- · High strength.

OUTLANDER 6X6

		G2 6x6		G2L 6x6
	2016 & prior	2017 - 2018	2019 & up	Any year
Individual HMWPE Skid Plates	S			
HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
(2) HDPE Full Underbelly Skid Plate	715005290 (except Max)	715005290	715005290 (except Max)	715005259
	715005320 (MAX only)	715005320	715005320 (MAX only)	(MAX only)
③ HMWPE Trailing Arm Protectors	-	715003466	715004823	715003466 (2020 models & prior only)
Individual Aluminum Skid Plat	es			
Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667
2 Aluminum Full Underbelly Skid Plate	-	-	-	-
3 Aluminum Trailing Arm Protectors	-	715008595	715004821	715008595

BUMPERS & GUARDS



Bumpers

Expedition Front Bumper

G2, G2L (except X mr models & X xc models 2022 & up)

715007233

\$299.99



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's front.
- · Protects and doesn't obstruct the vehicle's headlights.
- · Integrated mounting spots for lights.
- Inside and outside anticorrosion coating with a durable powder coat finish.

Expedition Rear Bumper

G2, G2L

715007234

\$269.99



• Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear.

- Protects and doesn't obstruct the vehicle's taillights.
- · Inside and outside anticorrosion coating with a durable powder coat finish.
- G2 base and DPS rear bumper installation requires 705008164 and 705008165.

X mr Front Bumper

G2S 2023 & up

715008198

\$289.99



• Enhanced vehicle front protection. Required as a mounting point for Radiator Relocator (715008898).

XT Front Bumper

G2

715004837

\$209.99



- · Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Rear Bumper

G

715004920

\$209.99



- · Provides additional protection against obstacles.
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- · Large tube construction with textured black finish and metal corners.

XT Front Bumper

G2L

715001910

\$169.99



- · Winch compatible.
- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

XT Rear Bumper

G2L

715001911

\$134.99



- · Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

Extreme Front Bumper

G2 715001286* \$309.99 G2L 715004279 \$279.99



- · Ultra-sturdy build.
- · Enhances front-vehicle protection.
- · Compatible with XT Front Bumper.
- Fits the Apache[™] 360 Track System (when side panels are removed).

*Not compatible with Front Hitch.

Rancher Front Bumper

G2, G2L (except X mr models)

715003461

\$339.99



- The low front end protection and plates allow you to use your ATV within cattle herds and guard the safety of both the vehicle and the animals.
- The flat front portion facilitates gently prodding cattle or pushing light objects, e.g., closing a fence.
- The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- · Not compatible with track systems, plows and front hitch.

Rancher Rear Bumper

G2, G2L (except 6x6 models)

715003462

\$289.99



- · Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- · Coverage extends to provide an extra layer of defense to your taillights.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- · Not compatible with track systems.

Renegade Extreme Front Bumper

G2S 2022 and prior (except X mr models)

715002469

\$269.99

\$369.99

\$379.99



- Enhanced vehicle front protection.
- Required as a mounting point for Radiator Relocator (715008898).

Guards

Body Side Protector

G2 2012 to 2018 with stock XT Bumper, G2 2012 & up with Rancher Bumper,
G2L with Rancher Bumper, (except X mr and 6x6 models)

715003459
715004940*



- The heavy-duty fender guard designed to pull double duty, protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Durable and bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- $\bullet \ \mathsf{XT} \ \mathsf{Front} \ \mathsf{and} \ \mathsf{Rear} \ \mathsf{Bumpers} \ \mathsf{or} \ \mathsf{Rancher} \ \mathsf{Front} \ \mathsf{and} \ \mathsf{Rear} \ \mathsf{Bumpers} \ \mathsf{are} \ \mathsf{required} \ \mathsf{for} \ \mathsf{installation}. \\$
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.

*Not compatible with Front and Rear Rancher Bumpers.

Body Side Protector Extensions (Not illustrated)

G2, G2L (MAX models only)

715003460

\$72.99

 This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly integrate into the look of Outlander MAX models.

Mud Flaps

G2 (with stock fender flares)

715007089

\$58.99



- ${\boldsymbol{\cdot}}$ Keep mud, snow and debris out of cargo area and protect trailer and vehicles behind you.
- Add aesthetic appearance to your vehicle.
- Require stock fender flare.
- · Sold in pairs.

G2, G2L, G2S ATVs ACCESSORIES


G2 2012-2018 (except with 30" tires) (except 6x6 models)	715001764*
G2 2019 & up (with 30" tires) (except 6x6 models)	715004250**
G2L	715001909***
G2L European vehicles only 2015 & up	715004487

Fender Flares



- · Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair for that rugged cool look.
- Includes front and rear extensions and all mounting hardware.
- *Comes stock on G2 models 2019 & up (except X mr models).
- **Standard on G2 X mr 1000R.
- ***Not compatible with European vehicles.

Fender Flare Extensions



715005111*

\$249.99

\$159.99



- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.
- · Include front and rear extensions.
- *Must be used with Fender Flare for G2 (715001764).

Fender Flares

G2S (except X mr models)

705012695

\$244.99



- Integrated extended Fender Flares for sporty look and full body protection from dirt and water.
- · Include front and rear extensions and all mounting hardware.

Flatbed Protection Tubes

G2 (6x6 models only)

715002030

\$519.99



- · Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

Flatbed Protection Tubes

G2L (6x6 models only)

715005266

\$359.99



- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

LIGHTS & ELECTRICAL



Integrated Heated Grips & Thumb Throttle Combo

G2, G2L, G2S (2024 & up)

715005072

\$299.99



2025

- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- ${\boldsymbol{\cdot}}$ Single button for both grips and thumb heat selection.
- $\boldsymbol{\cdot}$ Five temperature settings for the thumb and grips.
- Adjustable heat ratio between grip and thumb warmer.
- · Hold button to reach maximum heat quickly.
- Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- · ECE compliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

Heated Grips & Thumb Throttle Combo

G2, G2L, G2S G2, G2L, G2S 715003250 Not compatible with Intelligent Throttle Control

715008739

Compatible with Intelligent Throttle Control (iTC)

\$279.99



- LED dimmer facilitates reading temperature settings.
- · 4 temperature settings with individual controls for thumb and grips.
- · Returns to previous heat setting.

- · One-touch shutdown.
- · Wiring Cable is required for installation on G2L models only.

·			
Wiring Cable (Not illustrated)	G2L	710004567	\$11.99
• Req	uired for installation of Heated Hand Grips and Throttle	Combo.	
Heated Visor Outlet	G2 G2I	715001246	\$56.99



- Strategically positioned on vehicle to maintain your agility.
- · Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- · Sold individually.
- · Heated Visor not included.

Heated Passenger	Grips 8	& Visor	Outlet
-------------------------	---------	---------	--------

G2, G2L (MAX models only)

715008794

\$239.99



- · Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- · Heated visor outlet integrated into seat arm.

USB Power Outlet Kit G2. G2L. G2S 219400510 \$39.99



- · Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- · Dual port USB connectors.
- The power outlet is not capable of recharging all device types while riding.

Seat Heater G2 G21 715007211 \$134.99



- · 25 W seat heater delivers chill-free riding comfort.
- · One temperature only.
- · Heated pad and electrical harness only.
- Heavy Duty Seat Cover (715007212) is required for the installation.

Bluetooth Handlebar Soundbar by MTX G2, G2L, G2S 219400840 \$489.99

G2, G2L (except 6x6 & X mr models)



- · Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- · Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- · Not compatible with XT Handlebar Protector Kit.
- · EC compliant.

Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Electronic Device Holder

715004919

\$144.99



- · Robust injected-polypropylene construction allows for the right fit and easy installation.
- · Adjustable unit safely holds smartphones or small tablets with a length or width mesuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case.
- Integrated storage (0.6 gal / 2.1 L).

- Guiding wire grooves to pass charging cable through the lid.
- Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately)
- · Not compatible with windshields or Snorkel Kit.

G2, G2L, G2S ATVs ACCESSORIES

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving

G2. G2L (except X mr models)

715009775

\$264.99



- · 14 W LED lights producing 1,260 lumens each
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs
- EC compliant.
- · Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

3.5" (9 cm) LED Flood Lights (2 X 14 W)

G2, G2L (except X mr models)

715009774

\$264.99



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- · Sold in pairs.
- EC compliant.
- · Flood lens for a wide light beam spread, ideal for working applications like plowing or for winding, dusty or foggy riding conditions
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

4" (10 cm) Round LED Lights (2 x 25 W)

G2, G2L (except X mr models)

715002935

\$449.99



- 25 W LED spotlights.
- 1.800 lumens.
- · Rugged and waterproof.
- · Includes basic wiring and switch.
- · Can-Am branded grill.

- Sold in pairs
- Not FC compliant.
- · Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

10" (25 cm) Double Stacked LED Light Bar (60 W)

G2, G2L (except X mr models)

715002933

\$369.99



- · Equipped with twelve 5 W Cree LEDs
- 5,400 lumens.
- · Packs a big punch for its size.
- · Rugged and waterproof.
- Can be installed on front bumpers, sport roof and Bimini roof with sun visor.
- · Expedition Front Bumpers (715007233) and Light Power Cable (715007275) required for installation.
- · Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- · EC-compliant.

Light Power Cable G2. G2L 715007275 \$119.99 (Not illustrated)

• Required for installation of the 10" (25 cm) LED Light Bar, the 3.5" (9 cm) and 4" (10 cm) LED Lights

Baja Designs High Beam Kit

G2 (2022 and prior)

715004284

\$749.99



- · Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play.
- Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.

2" (5 cm) Square LED Lights (2 X 10 W)

G2 G21 G2S

715004293

\$204.99



- · 2 x 900 lumens 10 W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.
- · Multi-Position Light Mount Kit is required for installation.
- · Not EC compliant.

Multi Position Light Mount Kit

G2, G2L, G2S

715004274

\$96.99



- Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm).
- Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10 W).
- · Kit includes tube clamp mounts and power cables.

RAM† LED Spotlight

G2, G2L, G2S

710005423

\$169.99

43



• 540-lumen LED light (9 W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.



- Quickly and easily connect and charge different batteries with your charger.
- 3-color LED indicator provides constant battery health indication.
- · Sold individually.

GPS RAM† Mount for Handlebar

G2, G2L, G2S

715001985

\$69.99



• Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar.

Digitally Encoded Security System (D.E.S.S.™) Green Key

G2, G2S (2018 & up)

710005232

\$53.99



- Anti-theft technology, Digitally Encoded Security System (D.E.S.S) key snaps easily on the vehicle and provides riders easy and quick starts every time.
- The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.
- The Programmable D.E.S.S. Key can also be programmed in 3 modes:
- Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
- · Performance mode: No restrictions.

WINCHES



Can-Am HD Winches

Can-Am HD 2500 Winch

G2, G2L

715006414

\$309.99



- Heavy-duty four-way roller fairlead.
- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

- 7.1000011
- Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
 Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/6" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

Can-Am HD 3500 Winch

G2, G2

715006415

\$349.99



- Heavy-duty four-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

- Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of $\%\sl_2$ " (15.2 m of 5.4 mm) wire steel cable.
- EC-compliant.

Winch Accessories

Wireless Remote Control

WARN Winches

715002542

\$269.99



- The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- · All components are weatherproof.

Wired Remote Control

WARN Winches	715006378	\$89.99
Can-Am HD Winches (715006414 & 715006415)	715006555	\$29.99
Can-Am HD Winches (715008140, 715008141 & 715008285)	715008121	\$30.99



- · This kit allows owners to add a handheld remote to their winch or a stock winch.
- · Works with the handlebar-mounted switch.
- · Wired Remote and Remote Socket included.
- 10 ft. wire.

Winch Accessories Kit

715002409

\$124.99



- · Get the most out of your winch.
- · Double your pulling power, change your pulling direction and keep your winch in proper working order.
- · Includes tree straps, snatch block, shackle and winching gloves.

WARN Hawse Fairlead

WARN Winches

715007698

\$80.99



- Double powder-coated construction.
- · Required to use the Synthetic Winch.
- Cable (715004254) on WARN winches.
- · To be used with synthetic winch cables only.

Roller Fairlead

WARN Winches Can-Am HD Winch 715007699

\$80.99

710007459 \$56.99



· Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

Hook with Safety Latch & Strap Kit

(Not illustrated)

Can-Am HD Winches

705014949

\$23.49

· Heavy-duty winch-rope hook with stainless steel snap.

· Play it safe, always carry a replacement wire rope.

· Includes a nylon safety strap.

Replacement Wire Rope - Can-Am HD

705014983 705014984 \$21.99 \$35.99

- 2,500 lb (1,134 kg) pulling strength with 50 ft of 3/16" (15.2 m of 4.8 mm) wire rope for 705014983. • 3,500 lb (1,588 kg) pulling strength with 50 ft of $\frac{3}{2}$ " (15.2 m of 5.5 mm) wire rope for 705014984.



Replacement Wire Rope - ATV WARN Winches

715006256

\$75.99



- Play it safe, always carry a replacement wire rope.
- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 32" (15.2 m of 5.5 mm) aircraft grade steel wire.

Synthetic Winch Cable

ATV WARN Winches

715004254

\$159.99



- · Easier to manipulate than steel cable.
- Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP.
- · Kit includes synthetic rope and rock guard sleeve.
- · Always use with the new Hawse Fairlead (715007698).
- 50 ft. (15.2 m) of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- 3,500 lb (1,588 kg) pulling strength.



- · Adds functionality to your Renegade.
- · Fits Can-Am winches by WARN.

Winch Wire Harness			
(Not illustrated)	G2 2021 & up, G2S 2021 & up and G2L	715002453	\$45.99
	A CONTRACTOR OF THE PROPERTY O		

- · Required plug-and-go wiring to install WARN winch only.
- · Not required for Can-Am HD winches.

HITCHES



Hitches

Rear Hitch G2, G2L (except 6x6 models), G2S **715001925 \$58.99**



- · E-coat finish.
- · Fixed hitch ball mounting bracket.
- · Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- · Hitch ball not included.

Front and Rear Hitch Drawbar

G2, G2L, G2S **715008350 \$99.99**



- · Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- · Forged steel.

Hitch Accessories

Rear Receiver Hitch G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2 715005186 \$119.99



- E-coat finish.
- Does not affect ground clearance.
- · Trailer ball not included.
- On 4x4 use, this hitch offers 1,500 lb (680 kg) of towing capacity.
- On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity.
- Compliant with European T regulations.
- · Not compatible with G2L models with Rear Skid Plates.

Front Receiver Hitch G2 715000921 \$104.99



- Front receiver hitch for Outlander with or without a winch.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- ${\boldsymbol{\cdot}}$ Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.
- Not compatible with Extreme Front Bumper, Rancher Bumper and ProMount Plows.

Rubber Receiver Plug 705204503 \$12.99



• Rubber cap for 2" (5 cm) hitch receiver.

G2, G2L, G2S ATVs ACCESSORIES

PERFORMANCE

Performance

Renegade Snorkel Kit

G2S (2021 & up)

715007083

\$599.99



- · Comprehensive kit.
- · Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- · Ideal for muddy conditions.

Renegade Radiator Relocator Kit

G2S (2023 & up) G2S (2022 & prior) 715008898 715001929 \$479.99 \$469.99



- Relocates radiator to top mount position.
- · Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- · Includes support, hardware and hoses.
- · Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr).

Mud Strap

G2, G2L, G2S

715003053

\$47.99



- · Convenient sturdy grab-handle.
- · Lets drivers redistribute their weight for improved traction in demanding conditions.

Radiator Protector

G2, G2S (except G2S with 500 engine)

715001744

\$72.99



• Metal shield that mounts over radiator face, providing protection from stones and branches.

Outlander Snorkel Kit

G2 2015 & up, G2L

(except X mr & 6x6 models)

715005999

\$469.99



- · Comprehensive kit.
- · Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.
- · Not compatible with windshields.

Outlander Snorkel Kit

G2 (X mr models only), G2L

715002518

\$114.99



- · Comprehensive kit.
- · Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- · Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.

- · Not compatible with windshields.
- · Raised horn only.
- · Provides higher intake.
- · For best fit and finish, appropriate gauge support is required.

Outlander Radiator Relocator Kit

G2, G2L (except X xc 2022 & up and 6x6 models)

715001930

\$469.99



- · Relocates radiator to top mount position.
- · Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- · Includes support, hardware and hoses.
- · Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.

X mr Traction Plates | G2 (MAX models only), G2L | 715001752 | \$124.99



- Provide extra foot grip for driver when riding in extreme mud conditions.
- Help driver maintain ideal riding position to maximize vehicle traction.
- · Made of aluminum.
- Not meant for a passenger.

Seit-Clearing	j Footwells

G2 2015 & up, G2L

715004759

\$309.99



- · Made from aluminum.
- · Replace original footwells.
- · Feature large evacuation ports to avoid mud and snow accumulation in footwells.
- Aggressive design for improved traction.
- · Not compatible with Body Side Protectors.
- · Sold in pairs.

Footpeg Kit

G2, G2L

715001131

\$55.99



Provides maximum integrated grip and more stability during vigorous riding.

- Kick-up end generates added grip during hard cornering.
- · Made of aluminum.
- · Sold in pairs.



G2, G2S, G2L

715001333

\$73.99



- Maximizes performance by increasing air flow throughout RPM range.
- Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.

G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	715003199 · Front	\$149.99
G2L (except Mossy Oak, PRO, 6x6 and X mr models)	715007203 · Front	\$124.99
G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	715003200 · Rear	\$149.99
G2 2019 & up (Base, DPS & XT models, except 6x6)	715005159 · Front & Rear	\$264.99

Heavy-Duty Springs



- Heavy-duty springs provide enhanced stiffness.
- Perfect for snow clearing and hauling heavy loads.
- Improve handling.
- ${\boldsymbol{\cdot}}$ Standard on Outlander PRO and Mossy Oak models.



- · Feature ventilation holes.
- Offer added protection in rough terrain and weather conditions.
- Sold in pairs.

G2, G2L, G2S ATVs ACCESSORIES

Yoshimura

Yoshimura Slip-On Exhaust - Outlander

G2 (except 6x6 models)

715005480

\$699.99



- · Made from 304-grade stainless steel.
- Better sounding, better looking and lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).
- · Not EC compliant.
- · Fuel injection system tuning not required.
- Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up.

Yoshimura Slip-On Exhaust - Renegade

G2S 2012 & up (except 570 engine and X mr models)

715005481

\$859.99



- · Made from 304-grade stainless steel.
- Better sounding, better looking and lighter than stock muffler.
- USDF/USDA approved spark arrester.
- · Non-EPA compliant (for racing application only).
- · Not EC compliant.
- · Fuel injection system tuning not required.
- Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up.

Emergency Accessories

Emergency Kit

715006102

\$159.99



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS, DECALS & ADD-ONS



G2 (except MAX models)	715001737	\$229.99
G2 (MAX and X mr 1000R models only)	715001736	\$279.99
G2L (except MAX models)	715002026	\$229.99
G2L (MAX models only)	715002025	\$284.99
G2S (except X mr models)	715000683	\$209.99

Trailering Cover



- $\bullet \ \ \text{Heavy-duty canvas made of UV-resistant solution-dyed polyester.}$
- Protect windshield and colored panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailering cover protects your vehicle during transportation.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Heavy-Duty Seat Cover

G2, G2L

715007212

\$55.99

49



2025

- · Heavy-duty materials to cover and protect the seat.
- · Abrasion- and tear-resistant.
- Simply installs by stretching around the original seat; the elastic holds the cover securely in place.

G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr

G2, G2L (MAX and X mr 1000R models only)

G2, G2L (except MAX models)

715001720 715001668

295100737

715008308

\$219.99 \$224.99

715001597 · Mossy Oak Break-Up Country Camo

\$249.99

\$33.99

\$30.99

\$44.99

Storage Cover



- · Weather-resistant storage covers.
- · For vehicle storage only.
- UV-resistant solution-dyed polyester construction.
- · Quick and easy installation.
- · Designed to perfectly fit your vehicle with or without Can-Am accessories.

Flag 715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- · Includes Flag Mount (715000127).

Flag Mount		
(Not illustrated)	715000127	\$20.99

Bolt-On[†] Retractable Ratcheting Tie-Downs

Perfect for transporting your powersport vehicle or securing loads.

- Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into.
- Sold in pairs.


Ratchet Tie-Downs \$29.99



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- · Pack of 2.

Heavy-Duty Ratchet Tie-Down

• 1,000 lb (454 kg) safe working load.



- · Deluxe ratchet with rubber handle.
- · Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

Shifter Lock G2, G2L 715007337 \$59.99



- · Secure the vehicle's shifter by locking it in position.
- $\boldsymbol{\cdot}$ Prevents the vehicle from going into neutral without the lock key.

 Lockable Gas Tank Cap
 G2, G2L, G2S
 860200387
 \$54.99



- · Protects your fuel.
- Meets EPA requirements.

	G2L	715002498	\$24.49
License Plate Bracket	G2S	715001401	\$23.99



- Provides specific area to install license plate.
- Mounts to rear of vehicle.

G2, G2L, G2S ATVs ACCESSORIES

2025

APACHE TRACK SYSTEMS



Apache Track Systems

Apache Backcountry Track System

G2 (except 6x6 models), G2L, G2S

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- · Contact patch is 23% bigger than the Apache 360 LT.

• DPS module and pre-filter are required and sold separately.

- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- · Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.
- · For winter use only.

Apache Backcountry Mounting Kit

G2 2018 & prior, G2S 2018 & prior, G2L

715004830 715004796

(Not illustrated)

G2 2019 & up, G2S 2019 & up

· Required for installation of the Apache Backcountry Track System.

Apache XC and XC LT

NEW Apache XC LT Track System

G2 2019 & up, G2S 2019 & up

715007719





- · Long Track version.
- · Brand-new track design to optimize driving off and in deep snow conditions.
- · Reduction in steering effort thanks to the 4 wheels tandem.
- · Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- · Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- · Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tires.
- · Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).

- · Central guide for optimized track alignment and reduced occurrences of detracking
- · Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- · Mounting kit sold separately.

NEW Apache XC Track System

G2 2019 & up, G2S 2019 & up

715008664





- · Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the 4 wheels tandem.
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- · Track width: front 12.5" and rear 15".
- · Adds 3.25" of ground clearance vs 25" tires.
- · Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH

- Central guide for optimized track alignment and reduced occurrences of detracking
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performance.
- Stamped and welded steel frame for improved strength and durability.

Main hub is oil bath with 3 bearings inside for

- · Easy maintenance with replaceable hub and wheel bearings.
- consistent lubrication. DPS module and engine and CVT
- pre-filter required.
- · Mounting kit sold separately.

NEW Apache XC & XC LT Mounting Kit

(Not illustrated)

G2 2019 & up, G2S 2019 & up

715008200

- · Required for installation of the Apache XC and XC LT Track System.
- · Track DPS Module and Pre-Filter not included.

Apache 360 & 360 LT

Apache 360 Track System

G2 (except 6x6 models), G2L, G2S

715006323



- · Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.
- · EC compliant.

Apache 360 LT Track System

G2, G2L, G2S

715005103



- · Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Extra contact patch adjustment for better performance over rough terrain.
- Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · EC compliant.
- ATV: Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and CVT air intake pre-filters are required and sold separately.

Apache 360 LT 6x6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only)

715005104





- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- · Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · Apache 360 LT Mounting Kit, Track DPS Module and Engine and Pre-Filter Kit are required.
- · Reliable heavy-duty build.
- · EC compliant.
- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Apache 360 & 360 LT Mounting Kit	
(Not illustrated)	

G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G2L	715007207
G2 2019 & up (except 6x6 models), G2S 2019 & up	715007206
G2 2018 & prior, G2L (6x6 models)	715004991
G2 2019 & up (6x6 models)	715005105

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.

Apache Track System Accessories

Ţ	r	ac	k [P	S	M	od	lul	е

(Not illustrated)

G2, G2L, G2S

715007338

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which
 make for perfect track control and riding ease.
- ${\boldsymbol{\cdot}}$ Required to install the Apache and Backcountry Track Systems.

Air Intake Pre-Filter

715003483



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.007" (0.19 mm).
- · Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track Systems.
- Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO.
- · Not compatible with Snorkel Kits.

Engine Air Intake Pre-Filter

G2, G2L, G2S



- · Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.



- · Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- · Can extend slider life in hardened snow conditions.

Sliders with Vespel† Inserts

Apache Backcountry Track System

503194815



- Use DuPont Vespel inserts for less friction.
- · Longer life.
- · Can be cut to desired length.
- 8 needed per vehicle.
- · Sold individually.

Rail Ice Scratchers

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- · Rail mounted, small, light.
- · Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache	Backcountry					
Model Year / Model		Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up	G2L					
2018 & Prior	G2, G2S	715005247	715004830			715003483
2019 & Up	G2, G2S			715007338	715004729	(standard on G2 models and G2L PRO model)
2019 & Up	G2 1000R	715005247 & 715005891	715004796			

Apache XC and XC LT						
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel	
2019 & Up G2, G2S	715007719 and 715008664	715008200	715007338	715004729	715003483 (standard on G2 models and G2L PRO model)	

Apache 360 and Apache 360 LT							
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel		
2015 & Up G2L	715006323			6323		715004729	
2018 & Prior G2, G2S	(Apache 360) OR 715005103	715007207	715007338	& 715003483 (standard on G2 models and G2L PRO model)	715004729		
2019 & Up G2, G2S	(Apache 360 LT)	715007206					

Apache 360 LT 6x6					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6		745004004		715004729	
2019 & Up G2L 6x6	715005104	715004991 715005104		& 715003483 (standard on G2	715004729
2019 & Up G2 6x6		715005105		models and G2L PRO model)	

PROMOUNT PLOW KITS

Reference Chart							
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2
Plow Kit	715007753	715008178	715007754	715008179	715007755	715008180	715008181
Blade	715004472	715005316	715004202	715005317	715006337	-	715004203
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751

Steel Plows

Can-Am ProMount Steel Plow Kits 54" (137 cm) Blade

G2, G2L, G2S

■ 715007753 · Black 715008178 · Yellow \$1,019.97 \$989.97



· These kits include:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am	ProMount	Steel	Plow	Kits
60" (152	cm) Blade	•		

G2, G2L, G2S

■ 715007754 · Black 715008179 · Yellow \$1,049.97 \$1,019.97



· These kits include:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am	ProMount Steel Plow	Kits
66" (168	(cm) Blade	

G2, G2L, G2S

■ 715007755 · Black 715008180 · Yellow \$1,159.97 \$1,069.97



· These kits include:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ 715004472 · Black 715005316 · Yellow \$359.99 \$329.99




• Blades available individually to create your own kit.

- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- Clears 50" (127 cm) when plow is fully angled.
- · Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades

Fits ProMount Push Frame

■ 715004202 · Black 715005317 · Yellow \$389.99 \$359.99



· Blades available individually to create your own kit.

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 54" (137 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).



Fits ProMount Push Frame

■ 715006337 · Black

\$499.99



- · Blades available individually to create your own kit.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715004474 · Black

\$569.99

715006021 · Yellow

\$479.99



- · Blades available individually to create your own kit.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 66" (168 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 - 60" (152 cm) Plow Kit

G2, G2L, G2S

715008181

\$1,149,97



- These kits include:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Plate

NEW	Can-Am	ProMount	Flex2	- 66"	(168	cm)
Plow	Kit					

G2 G21 G2S

■ 715008182 · Black

\$1,219,97



- · This kit includes:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Angle Plows

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G2, G2L, G2S

715007261

\$519.99



- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- · Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G2, G2L, G2S

715007263

\$619.99



- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

G2, G2L, G2S

715007264

\$659.99



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

ProMount One-Way State Blade Rubber Flap (Not illustrated)

715007299

\$119.99

Allows for more efficient snow projections in various snow conditions.

Can-Am ProMount Flex2 Plows

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203

\$489.99



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- · Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715006265

\$559.99



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715004485

\$639.99



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.

Can-Am ProMount Plow Accessories

Can-Am ProMount Push Frame with Quick-Attach System

G2, G2L, G2S

715007752

\$499.99



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Plate required for installation.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Can-Am ProMount Mounting Plate

G2, G2L, G2S

715007751

\$159.99



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- · Fits on ATVs with or without Can-Am Skid Plates.
- · Plow Roller Fairlead included.



- 12" (30 cm) push frame extension.
- · Required when plow is installed with Apache Track System.

Can-Am ProMount Edge Markers

G2, G2L, G2S

715004206

\$45.99



- · Help locate the edges of your plow.
- · Height: 24" (60 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G2, G2L, G2S

715006258

\$159.99



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Curved Wear Blade

G2, G2L G2S

715007791 · 60" (152 cm)

715007792 · 66" (168 cm)

\$114.99



- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

		715004480 · 54" (137 cm)	\$139.99
		715004481 · 60" (152 cm)	\$159.99
		715004482 · 66" (168 cm)	\$179.99
ear Blade	G2, G2L, G2S	715004483 · 72" (183 cm)	\$199.99

Can-Am ProMount Plastic Wear Blade

To help prevent scratches on smooth driveways and markable surfaces.



Can-Am ProMount Blade Extensions

G2, G2L, G2S

715004205 · Black **715005319** · Yellow

\$119.99



- Add 3" (8 cm) each side
- · Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- $\bullet \ \text{Longer Wear Blade can be installed to further extend the extra length already provided by the extensions}.$
- Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade

ProMount Plows (60" and more)

715007794

\$279.99



- 1/4 thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as to not affect the scraping.
- Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- · Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead | G2, G2L, G2S | 705009222 | \$69.99



- Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows.
- Included in Plow Mounting Plate Kit (715007751).

Pulley Kit for Alpine Super-Duty Plow

G2, G2L

715000279

\$57.99



• Pulley kit to be used in conjunction with the winch when using a snow plow.

- · Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Synthetic Winch Cable for Plowing

715000540

\$46.99



· Specially designed for plowing applications.

- 8' (2.4 m) section of durable, extra-strong synthetic rope.
- Stands up to repeated, sharp angle pulls used to lift heavy plow blades.
- Temporarily replace your winch rope for plow season to save wear and tear on wire rope.

Plow Limit Switch

(Not illustrated)

G2, G2L, G2S

715006259

\$134.99

- For controlling the cable tension when over-raising your plow system.
- · Prevents winch, plow push frame and vehicle damage.

Can-Am ProMount Plow Angling System

G2, G2L, G2S

715009657

\$599.99

59



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- · Compatible with ProMount Blade.

- Push Frame (715007752) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.





G3, G3L ACCESSORIES

LinQ Accessories: Easy On, Easy Off Cargo	6
Cargo & Storage	7
Can-Am Windshields	7
Handlebars & Mirrors	7
Skid Plates	7
Bumpers & Guards	7
Lights & Electrical	7
Winches	7
Hitches	8
Performance	8
Covers & Add-Ons	8
Apache Track Systems	8
ProMount Plows	8



BUNDLE UP TO NEVER COMPROMISE. YOUR ATV BUNDLES.

STEP 1:

CHOOSE YOU	UR ESSENTIAL BUNDLE	G3 G3 MAX	G3L G3L MAX
	Console Extension	715009218	715005368
CTARTER	Console Extension USB Power Outlet	715008750	715008750
STARTER	LinQ Cargo Box (53 L)	715006997	715006997
	LinQ Tool Kit	715006829	715006829
	Fender Flares	N/A	715005349
ADVANCED	Driver Full Wrap Handguards	715005361	715005361
	LinQ Modular Box (10 L)	715005494	715005494
	Bluetooth Handlebar Soundbar by MTX	219400840	219400840
	Adventure High Windshield	715009453	715005377
PEAK	Mud and Dust Wash	9779340	9779340
	Multi-Surface Glass Cleaner	9779331	9779331
	Black Plastic & Rubber Restorer	9779335	9779335

STEP 2:

PICK YOUR I	ADD-ON BUNDLE	G3 G3 MAX	G3L MAX
	LinQ Stackable Fuel Caddy – 4 Gallons		860202246
ADVENTURE	XT Rear Bumper	N/A	715004953
	XT Front Bumper		715004952
	3.5" (9 cm) LED Driving Lights (2 x 14 W)	715009775	715009775
HILINIT	LinQ Gun Case	715009240	715009240
HUNT	XU Front Bumper	N/A	715006614
	LinQ Gear Grips	715005340	715005340
	LinQ Chainsaw Holder	715004975	715004975
WORK	LinQ Rack Extension	715009475	715004954
	LinQ Tool Holder	715007358	715007358
	Integrated Heated Grips & Thumb Throttle Combo	715005072	715005072
	Adventure Side Wind Deflectors	715009462	715005862
	Heated Visor Outlet	715001246	715001246
WINTER	Heated Passenger Grips & Visor Outlet	715005358 (MAX only)	715005358 (MAX only)
	Trailering Cover	715005074 715005075 MAX	715005074 715005075 MAX



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3		1	2	3	4	LinQ	
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top	
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806					
-	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.				NO	
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					NO
	LinQ 4.5 Gal (17 L) Sport Bag 860202447						
	LinQ Modular Box (10 L) 715005494			YES, with LinQ Base Installation Kit 860201806		YES	
W.	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO		NO	153	
W	LinQ Modular Box (30 L) 715006830		NO		NO	NO	
	LinQ Tool Kit 715006829					YES	
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				NO	
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.		NO		NO	
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Cargo Basket (90 L) 715010173	NO			YES	NO	
	Front LinQ Cargo Box (90 L) 715005272	YES	YES	NO	NO	NO	
	LinQ Cargo Box (53 L) 715010172		123	NO	YES		
	LinQ Low Profile Box (63 L) 715007827				120	YES	
	LinQ Trunk Box (145 L) 715009471	NO		YES, remove the rear rack for installation.	NO		
1	LinQ Trunk Box (87 L) – G3 715009499	_ NO	NO	O NO			
	LinQ 9.2 Gal (35 L) Cooler 715006998				YES	NO	
	LinQ Gun Case 715009240	_	YES		NO		
LinQ H	olders and Racks	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
44	LinQ Gear Grips 715005340	VF0 - 1111 - 0 P - 1 - 1 11 - 1 11 - 11 11 - 11 11 - 11 11 - 11 11 - 11 11	V50	YES, with LinQ Base	\/F0		
11	LinQ Tool Holder 715007358	YES, with LinQ Base Installation Kit 860201806	YES	Installation Kit 860201806	YES		
R	LinQ Chainsaw Holder 715004975	YES	NO		NO	NO	
99	LinQ Front Rack Extension 715009281	NO	YES	NO	NO		
~	LinQ Rear Rack Extension 715009475	- NO	NO		YES		
		*Removal of front cargo compartment lid is required.					



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L		1	2	3	4	LinQ	
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top	
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806					
-	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.				NO	
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO	
	LinQ 4.5 Gal (17 L) Sport Bag 860202447						
	LinQ Modular Box (10 L) 715005494			YES, with LinQ Base Installation Kit 860201806		YES	
W.	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO		NO	1E5	
W	LinQ Modular Box (30 L) 715006830		NO		NO	NO	
	LinQ Tool Kit 715006829					YES	
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.					
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806					NO
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.		NO		NO	
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	LinQ Large Cargo Box 715007001		NO			NO	
	LinQ Cargo Basket (90 L) 715005274	NO	YES		YES	NO .	
	LinQ Cargo Box (53 L) 715006997			YES NO	NO		YES
	LinQ Low Profile Box (63 L) 715007827			NO			
	LinQ Cargo Box (90L) 715005272	YES			NO	NO	
	LinQ Trunk Box (87 L) – G3L 715009312				YES	NO	
	LinQ Trunk Box (145 L) 715009471	- NO	NO	YES, remove the rear rack for installation.	NO	YES	
	LinQ 9.2 Gal (35 L) Cooler 715006998	- INO		No.	YES		
	LinQ Gun Case 715009240			NO	NO	NO	
LinQ H	olders and Racks	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
44	LinQ Gear Grips 715005340	VEO VILLO DE LA VI		YES, with LinQ Base			
11	LinQ Tool Holder 715007358	YES, with LinQ Base Installation Kit 860201806	YES	Installation Kit 860201806	YES	NO	
	LinQ Rack Extension 715004954	NO		, NO		INO	
R	LinQ Chainsaw Holder 715004975	YES	NO	INU	NO		
		*Removal of front cargo compartment lid is required.					

*Removal of front cargo compartment lid is required.



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3 M	AX	1	2	3	4	LinQ
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 · Black / 295100698 · White	YES, with LinQ Base Installation Kit 860201806				
1	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.		NO		NO
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO
	LinQ 4.5 Gal (17 L) Sport Bag 860202447			YES, with LinQ Base Installation Kit 860201806		
•	LinQ Modular Box (10 L) 715005494					YES
P	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO		NO	163
W	LinQ Modular Box (30 L) 715006830		NO		NO	NO
	LinQ Tool Kit 715006829			NO		YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.		NO		
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.				NO
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
	LinQ Cargo Basket (90 L) 715010173	NO			YES	NO
	Front LinQ Cargo Box (90 L) 715005272	YES	YES	NO	NO	NO NO
	LinQ Cargo Box (53 L) 715010172		123	110	YES	YES
	LinQ Low Profile Box (63 L) 715007827				123	120
	LinQ Trunk Box (139 L) 715009472	NO		YES, remove the rear rack for installation.	NO	
1	LinQ Trunk Box (87 L) - G3 715009499	- NO	NO		1/50	NO
	LinQ 9.2 Gal (35 L) Cooler 715006998			NO	YES	NO
	LinQ Gun Case 715009240		YES		NO	
LinQ H	olders and Racks	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
44	LinQ Gear Grips 715005340	VES with Lin O Door Installation Via accesses	VEO	YES, with LinQ Base	VEO	
11	LinQ Tool Holder 715007358	YES, with LinQ Base Installation Kit 860201806	YES	Installation Kit 860201806	YES	
	LinQ Chainsaw Holder 715004975	YES	NO		NO	NO
7 7	LinQ Front Rack Extension 715009281	NO	YES	NO	NO	
~	LinQ Rear Rack Extension 715009475	- NO	NO		YES	
_		*Removal of front cargo compartment lid is required.				

^{*}Removal of front cargo compartment lid is required.



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L N	NAX	1	2	3	4	LinQ
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 · Black / 295100698 · White	YES, with LinQ Base Installation Kit 860201806				
	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.		NO		NO
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO
	LinQ 4.5 Gal (17 L) Sport Bag 860202447			YES, with LinQ Base Installation Kit 860201806		
	LinQ Modular Box (10 L) 715005494					YES
THE	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO		NO	120
The state of	LinQ Modular Box (30 L) 715006830		NO		NO	NO
	LinQ Tool Kit 715006829					YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.		NO		
-	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.				NO
	LinQ Gun Case 715009240	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
	LinQ Large Cargo Box 715007001	110	NO		\/F0	
	LinQ Cargo Basket (90 L) 715005274	- NO	V50		YES	No
	LinQ Cargo Basket (90 L) 715005272	YES	YES		NO	NO
	LinQ Trunk Box (87L) - G3L 715009312		NO	NO		
3	LinQ Cargo Box (53 L) 715006997				YES	
	LinQ Low Profile Box (63 L) 715007827	_	YES			YES
	LinQ Trunk Box (139 L) 715009472	NO	NO	YES, remove the rear rack for installation.	NO	
	LinQ 9.2 Gal (35 L) Cooler 715006998			No	YES	NO
	LinQ Gun Case 715009240		YES	NO	NO	
LinQ H	olders and Racks	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
VV	LinQ Gear Grips 715005340			YES, with LinQ Base		
11	LinQ Tool Holder 715007358	YES, with LinQ Base Installation Kit 860201806	YES	Installation Kit 860201806	YES	
	LinQ Rack Extension 715004954	NO				NO
	LinQ Chainsaw Holder 715004975	YES	NO	- NO	NO	
		*Removal of front cargo compartment lid is required.				

^{*}Removal of front cargo compartment lid is required.

2025 G3, G3L ATVs ACCESSORIES

LinQ Accessories with 16" Base

LinQ Fuel Caddy - 4 Gallons

G3, G3L

860202246

\$239.99



- · Quick, easy and secure installation with LinQ system.
- · No-spill spout for easy use.
- · 3.7 US gallon (14 L) capacity.
- Meet the new latest Flame Mitigation Device (FMD) standard.
- Must be installed in the Front Cargo Compartment.
- · LinQ Base Installation Kit (860201806) required.
- No LinQ 16" accessories can be stacked on the LinQ 4-Gallon Fuel Caddy.
- Can't be installed on the rear lid due to weight limitation.

LinQ Oil Caddy - 1 Gallon

G3, G3L

860202445

\$139.99



1 US gallon (3.78 L) capacity.

- Must be installed in the Front Cargo Compartment.
- · LinQ Base Installation Kit (860201806) required.
- · No LinQ 16" accessories can be stacked on the LinQ 1-Gallon Oil Caddy.
- Can't be installed on the rear lid due to weight limitation.

LinQ Chainsaw Holder

G3, G3L (except X mr models)

715004975

\$179.99



- · This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- · Pinch the blade for a solid and quick fix.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- · Allows installation of the LinQ Tool Holder.
- Not compatible with the LinQ Rack Extension when installed on the front rack of the vehicle.

LinQ Modular Box

G3 G31

715005494 · (10 L) 715007112 · (20 L) \$139.99 \$159.99

715006830 · (30 L)

\$179.99



- · Allows stacking of other modular boxes to always have the right gear accessible.
- · Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- · See table for installation location and requirements.
- · Can't be installed on the rear lid due to weight limitation.

Thermal Insert for LinQ Modular Box (10 L)

G3, G3L

219401110

715006829

\$59.99

\$329.99



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- · Can contain seven 355 ml cans.
- · Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 21/2" H.

LinQ Tool Kit

Includes:

G3. G3L

- Socket Torx T40 %" drive - Socket Torx T30 %" drive - Wrench 13 mm - Wrench 10 mm

- Wrench 8 mm

See table for installation


location and requirements.

- Long-nose pliers
- Cutter pliers
- Locking pliers
- Ratchet wrench 3/8" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm %" drive - 6 pts
- Socket 18 mm 3/8" drive
- Long-socket 17 mm %" drive - 6 pts
- Socket 15 mm %" drive
- Socket 13 mm %" drive
- Socket 10 mm 3/8" drive - Socket 8 mm %" drive
- Socket Torx T20 %" drive Breaker bar 3/8" drive

- · Combination Wrench set:
- Wrench 19 mm - Wrench 18 mm
- Wrench 15 mm

■ 219400964 · Black

\$369.99



G3, G3L

· All the benefits of LinQ-simple, fast and secure. Rotomolded construction for exceptional rigidity

- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- · Easy one-second on/off tool-less system.
- · Can contain twenty 355 ml cans.
- · Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions: 9" L x 17" W x 7" H.
- · Can't be installed on the rear lid due to weight limitation.

295100698 · White

· See table for installation location and requirements.



G3, G3L ATVs ACCESSORIES

LinQ Tool Box G3, G3L 715008111 \$179.99



- · High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- · Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system. All the benefits of LinQ – simple, fast and secure.
- · See table for installation location and requirements.

LinQ Roll-Top Bag

G3, G3L

715008110

\$229.99



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- · LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- · Marinized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- · See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G3, G3L

860202449

\$229.99



- · Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- · See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag

G3, G3L

860202447

\$209.99



- · All the benefits of LinQ simple, fast and secure.
- 17 liter (4.5 US gallon) capacity.
- Thermoformed bag base in HDPE (High Density Polyethylene) providing rigidity and durability.
- · Rigid bottom, semi-rigid top.
- · Easy one-second on/off tool-less system.
- · See table for installation location and requirements

LinQ Accessories with 36" Base

NEW LinQ Trunk Box (145 L)

G3, G3L (except MAX models)

715009471

\$639.99



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- Storage capacity of 31 gal (145 L).
- Easy to install and remove with the LinQ system.
- LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity.
- · New ergonomic and resistant latch system offers excellent sealing.
- · Ability to install LinQ Tool Holders (715008896) on the box.
- · Lockable with a lock on the front of the box (two keys included).

NEW LinQ Trunk Box (139 L)

G3, G3L (MAX models only)

715009472

\$639.99



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- · Storage capacity of 30 gal (139 L).
- Easy to install and remove with the LinQ system.
- · LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- Compatible with the passenger seat.
- · New ergonomic and resistant latch system offers excellent sealing.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).

NEW LinQ Trunk Box (87 L) - G3L

G3L

715009312

\$639.99

69



- Weatherproof Polyethylene Rear Cargo Box.
- · Can be installed on the rear rack only.
- · Storage capacity of 23 gal (87 L).
- Optimized shape of the cargo box base to fit perfectly the G3L rear rack.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- · Installation in LinQ 36" configuration.
- · Compatible with the passenger seat.
- · Ability to install LinQ Tool Holders (715008896) on the box.



- · Weatherproof Polyethylene Rear Cargo Box.
- · Can be installed on the rear rack only.
- · Storage capacity of 23 gal (87 L).
- Optimized shape of the cargo box base to fit the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).

• Easy to install, easy to remove using the LinQ system.

- · Installation in LinQ 36" configuration.
- · Compatible with the passenger seat.
- Ability to install Tool Holders (715008896) on the box.

NEW LinQ Cargo Box (90L)

G3, G3L (except X mr)

715005272

\$639.99



- · Made of polyethylene.
- · Storage capacity of 23 gal (90 L).
- · Can be installed on the front rack only.
- · Easy to install, easy to remove using the LinQ system.
- Need to remove the front DropDown cover for optimal capacity.
- Lockable with a lock on the front of the box (2 keys included).

LinQ Cargo Box (53 L)

G3 G3L 715010172

715006997

\$399.99



- · Made of polyethylene.
- · Storage capacity of 14 gal (53 L).
- · Easy to install and remove with the LinQ system.
- · Can be installed on the front or rear racks.
- · New ergonomic and resistant latch system offers excellent sealing.
- · Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- · Ability to install LinQ Tool Holders (715008896) on the box.
- · Lockable with a lock on the front of the box (two keys included).

LinQ Low Profile Box (63 L)

G3, G3L

715007827

\$399.99



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 16.6 gal (63 L).
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in a 36" configuration only.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

715010173

715005274

LinQ Cargo Basket (90 L)

Made of polyethylene.

· Storage capacity of 23 gal (90 L).



G3

- Easy to install and remove with the LinQ system.
 Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- Ability to install LinQ Tool Holders (715008896) to the basket.

Large Cargo Box

ď

715007001

\$639.99

\$239.99



- Rear bed to carry large items.
- · Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

LinQ 9.2 Gal (35 L) Cooler

G3, G3L

715006998

\$599.99



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- · Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.

- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- · A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- · Innovative way to hold 12 cans (355 ml).
- Molded-in handles for quick installation and removal.



· Easy to install and remove with the LinQ system.

- Fits front of the vehicle only.
- · Provides tie-down points to secure cargo on racks.
- Made of aluminum with durable powder-coat finish.
- Height of 5".

NEW LinQ Rear Rack Extension

G3 (except X mr models)

715009475

\$299.99



· Easy to install and remove with the LinQ system.

- · Fits rear of the vehicle only.
- · Provides tie-down points to secure cargo on racks.
- · Made of aluminum with durable powder-coat finish.
- · Height of 7".

LinQ Rack Extension

G3L

715004954

\$199.99





· Easy to install and remove with the LinQ system.

- · Fits front or rear of the vehicle.
- · Provides tie-down points to secure cargo on racks.
- Made of steel with anti-corrosion coating and durable powder-coat finish.
- Height of 7".

LinQ Holders

LinQ Tool Holder

G3, G3L

715007358

\$59.99



· Ultra-versatile tool holder.

- · Convenient swivel-latch allows tools to be stored in any orientation.
- · Sold in pairs.

LinQ Gear Grips

G3, G3L

715005340

\$149.99



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- · Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- $\bullet \ \ \text{Make transporting your tools a snap by combining the Gear Grips with the LinQ system}.$
- · 360° orientation.
- · Sold in pairs.

LinQ Gear Grips

G3

715001421

\$92.99



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

LinQ Gun Case

G3, G3L

715009240

\$259.99



- The practical design lets riders store shotguns and rifles up to 52" (132 cm), even with most optic configurations.
- Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.
- The LinQ Gun Case must be installed on the front compartment lid using the LinQ Base Installation Kit (860201806), on the Front Rack or on fender position using the LinQ Gun Case Mounting Kit (715006074).
- Can't be installed on the rear lid due to weight limitation.

LinQ Gun Case Mounting Kit - Fender Position

G3, G3L

715006074

\$119.99

71



- This kit is required to install the LinQ Gun Case on fender position.
- Installs on the right side of the vehicle, and the safety system allows the driver or passenger to quickly exit the vehicle.
- The low-profile mounting system can be left on the vehicle year-round and doesn't get in the way when the Gun Case is not installed.

Holders

Tool Holder Bolt-On G3, G3L 715008896 \$45.99



- Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274), LinQ Cargo Box (53 L) (715006997), LinQ Trunk Box (139 L) (715006097 & 715009472) and LinQ Trunk Box (145 L) (715005273 & 715009471).
- · Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- · Sold in pairs.
- · Several degrees of adjustment.

		715002354 · Single	\$62.99
Multi-Fit Holder	G3L	715001945 · Double	\$99.99



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but
- · Easy installation on tubular rack, extension racks, basket or bumpers.
- · Sold in pairs.

LinQ Mounting

LinQ Base Installation Kit 860201806 \$39.99



- · Unique mounting fastener usable on any LinQ system accessory.
- · Included: 2 cargo LinQ bases and hardware.

LinQ Base G3L 715002350 \$24.49



- Made of polypropylene glass fiber.
- · Allows you to install LinQ accessories
- Sold in pack of 4.

LinQ Lock G3, G3L 860201968 \$62.99

G3. G3L



- · Simple way to securely lock most LinQ accessories.
- · Lock cover protects lock from the elements.
- · Corrosion resistant.
- · Pack of 1, includes 2 keys.
- · Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.

CARGO & STORAGE

715007002



Soft Storage Bag (70 L)

- · Carry your gear in a weatherproof bag.
- · Soft bag with a storage capacity of 18.5 gal (70 L) designed to maximize space in the front or rear of the vehicle.
- · 3-compartment bag with removable dividers.
- · Easy to install with strap system.
- · X mr models: Fits on rear rack only.

CAN-AM WINDSHIELDS



\$219.99

NEW Adventure High Windshield - Hardcoated

G3 (except X mr models)

715009458

\$329.99



- · Quickly change your wind protection with the flip of both levers.
- 14" (36 cm) high to protect against wind and winter weather with a 2" (5 cm) adjustment.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm) with ultra-resistant Quantum[†] coating.
- · Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715009218) is required for installation.
- Side Wind Deflectors (715009462) available for added protection.



- · Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and winter weather.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm) with ultra-resistant Quantum[†] coating.
- · Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

NEW Adventure High Windshield

G3 (except X mr models)

715009453

\$269.99



· Quickly change your wind protection with the flip of both levers.

- 14" (36 cm) high to protect against wind and weather with a 2" (5 cm) adjustment.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm).
- Console Extension (715009218) is required for installation.
- Side Wind Deflectors (715009462) available for added protection.

Adventure High Windshield

G3L (except X mr models)

715005377

\$199.99



Adventure windshield with three-position adjustable height.

- 14" (36 cm) high to protect against wind and weather.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

NEW Ajustable Adventure Low Windshield

G3 (except X mr models)

715009219

\$249.99



Quickly change your wind protection with the flip of both levers.

- 10" (25 cm) high for wind protection with a 2" adjustment.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm).
- Console Extension (715009218) is required for installation.
- Side Wind Deflectors (715009462) available for added protection.

Adventure Low Windshield

G3L (except X mr models)

715005860

\$179.99



- · Adventure windshield with three-position adjustable height.
- 10 in. (25 cm) high for wind protection.
- Made of injected polycarbonate with a thickness of $5\!\!/\!\!\!/\, 2$ " (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

NEW Adventure Side Wind Deflectors

G3 (except X mr models)

715009462

\$129.99



- Side Wind Deflectors for additional wind protection.
- · Easy installation.
- · Controllable vents to manage airflow.
- Console Extension (715009218) is required for installation.
- Works with Adventure Windshields (715009219, 715009453, 715009458).
- Not compatible with Integrated Audio System (715005354).

Adventure Side Wind Deflectors

G3L (except X mr models)

715005862

\$129.99

73



- Side Wind Deflectors for additional wind protection.
- · Easy installation.
- Console Extension (715005368) is required for installation.
- Works with Adventure Windshields (715005860, 715005377, 715007268).
- Not compatible with Integrated Audio System (715005354).



- Integrated storage compartment (2 L) with magnetic mount safe for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: one pre-assembled Can-Am plate with 3M multi-surface adhesive.
- Includes guide clips molded into the door to feed the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure Windshield and Side Wind Deflectors.
- · Not compatible with Snorkel Kit.
- · Includes tether cord for additional peace of mind.

 Console Extension
 G3L (except X mr models)
 715005368
 \$199.99



- Integrated storage compartment (1 gal/4 L) with magnetic mount safe for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Am plates with 3M multi-surface adhesive.
- Includes guide clips molded into the door to feed the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- Required for the installation of the Adventure windshield and side wind deflectors.
- · Not compatible with Snorkel Kit.
- · Includes tether cord for additional peace of mind.

Console Extension USB Power Outlet

G3, G3L (except X mr models)

715008750

\$69.99



- Useful for the Console Extension (715005368 & 715009218) to plug your electronic device charger into the compartment.
- USB-A and USB-C ports.
- · Rubber cap protects ports when not in use.
- · Backlit to highlight the USB ports.
- Console Extension (715005368 or 715009218) is required for installation.

HANDLEBARS & MIRRORS



Driver Full Wrap Handguards

G3, G3L

■ 715005361 · Black **715005362** · Neo Yellow

\$149.99

\$139.99



- · Protects against wind, branches and debris.
- · Rugged injected plastic deflectors with Can-Am logo.
- · Lightweight black die cast aluminum full wrap frame.
- ${\boldsymbol{\cdot}}$ New ergonomic design offers better comfort for the hand and increases protection.
- Mounting system leaves the handlebar free.
- · Includes complete hardware.

Passenger Wind Deflectors

G3, G3L (MAX models only)

715001669

\$92.99



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- Easy to install and remove.

Handlebar Mirrors

G3, G3L


715005366

\$69.99



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Doesn't require a windshield or fairing to be mounted.
- Works with all windshield options.

75



Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: with aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation.
 No need to remove factory skid plates.
 No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

OUTLANDER

	G3		G3L 2023 and up	
	Except MAX models	MAX models only	Except MAX models	MAX models only
Skid Plate Protection Kit				
	715009216	715009217	715005309	715005310
Individual Skid Plates				
1 Front Aluminum A-Arm Protectors	715009214	715009214	715005305	715005305
2 Rear Aluminum A-Arm Protectors	715009215	715009215	715005308	715005308
3 HMWPE Underbelly Plates	715009864	715009865	715005306	715005307

BUMPERS & GUARDS



Bumpers

XU Front Bumper

G3L

715006614

\$319.99



- Heavy-duty tubular construction provides the most complete protection for your vehicle.
- Protects vehicle lights and corners.
- · Winch compatible.
- · Integrated tow hook.
- · Similar to the XU model's bumper.

XT Front Bumper

G3L

715004952

\$169.99



• Provides additional protection for your vehicle against the elements.


- · Tough and durable.
- · Large tube construction with black powder coat finish.
- · Similar to stock bumper on XT models.
- · Mounting plate included for tow hook.

NEW Extreme Front Bumper Plates

G3 (except X mr models)

715009293

\$149.99



• Ultra-robust steel construction provides additional protection to the front of the vehicle in rough terrain.

- · Compatible with all front bumpers.
- · Durable powder coat finish.
- · Not compatible with track systems.

Extreme Front Bumper Plate

G3L (except X mr models)

715005439

\$149.99



- Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.
- Compatible with all front bumpers.
- Not compatible with track systems.

Front Tow Hook

G3I

715008842

\$45.99



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- Allows you to attach most hooks or straps.
- This tow hook offers 3,500 lb (1,587 kg) of towing capacity.
- · Made of forged steel.
- XT Front Bumper (715004952) required for installation.
- Not compatible with Outlander XT stock bumper.

Full Rear Bumper

G3L

715008738

\$219.99



- Provides additional protection for your vehicle against obstacles.
- Protects the rear lights of the vehicle without obstructing them.
- $\bullet \ \, \text{Strong and durable, it must be added to the XT rear bumper (stock or accessory) for full protection.}$
- Wide and sturdy tubular construction with black powder-coat finish and metal corners.

XT Rear Bumper

G3L (STD, DPS & X mr models only)

715004953

\$129.99



- Sturdy tubular construction.
- Protects the vehicle against obstacles.
- · Standard on Outlander XT and Outlander PRO.
- · Fits base models with grab bar only.
- Required to install the Full Rear Bumper.

Guards

Fender Flares G3L 715005349 \$129.99



- · Kit is designed to deliver extra protection to your vehicle from dirt and debris. If you enjoy riding in the mud, it's a must.
- · Made of injected plastic that hugs your vehicle fenders perfectly.
- · Gives vehicle added flair for a rugged, cool look.
- Includes front and rear extensions and all mounting hardware.
- · Not compatible with European vehicles.

LIGHTS & ELECTRICAL



Integrated Heated Grips & Thumb Throttle Combo

G3, G3L except LTD

715005072

\$299.99




- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.
- Five temperature settings for the thumb and grips.
- · Adjustable heat ratio between grip and thumb warmer.
- · Hold button to reach maximum heat quickly.
- · Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- · ECE compliant.
- · Plug-and-play installation.
- · Clamp-on grips, no glue required.

Heated Passenger Grips & Visor Outlet

G3 (MAX models only), G3L (MAX models only)

715005358

\$349.99



- · Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- · Heated visor outlet integrated into seat arm.

Seat Heater

G3, G3L

715007211

\$134.99



- 25 W seat heater delivers chill-free riding comfort.
- One temperature only.
- · Heated pad and electrical harness only.
- Heavy-Duty Seat Cover (715008311) is required for installation on 1-up models.
- Heavy-Duty Seat Cover (715008313) is required for installation on 2-up models.

Heated Visor Outlet

G3, G3L

715001246

\$56.99



- · Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- Sold individually.
- · Heated Visor not included.

NEW USB Power Outlet Kit

G3, G3L

219400510

\$39.99



- · Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.
- Plug-and-play kit.
- * The power outlet is not capable of recharging all device types while riding.

USB Intelligent Power Outlet Kit

G3, G3L

715009117

\$59.99



- · Power all your electronics with this easy-to-mount USB plug.
- Provides one USB-A3.0 and one USB C (PD) plug.
- Power rate: 36 watts.
- Intelligent USB charger for a fast charge when battery is low.
- Replaces the vehicle's 12 V socket.

Cellphone Holder G3. G3L 715008786 \$99.99



- · Water resistant door allows for perfect phone positioning.
- · Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- · Does not include cellphone or charging wires.
- Requires the GPS RAM Mount for Handlebar (715001985) or the Console Extension (715005368) for installation.
- · If installed on the Console Extension, the Console Extension USB Power Outlet (715008750) is required to charge cellphone.
- · If installed on the Console Extension, Driver Full Wrap Handguards (715005361 or 715005362) are incompatible.

GPS RAM[†] Mount for Handlebar

G3. G3L

715001985

\$69.99



· Convenient bracket for installing the Garmin Montana GPS (715002830) or the Cellphone Holder (715008786) (not included) onto your unit's handlebar.

Integrated Audio System

G3, G3L

715005354

\$879.99



- · Fully integrated and weatherproof audio system.
- Includes two 6.5" front fender Bluetooth speakers giving you fingertip control of the tracks you're playing.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Expertly tuned for exceptional sound, even when you're on the move on your Outlander.
- Comes with two speakers, each with 50 W dynamic power, for a total of 100 W dynamic power.
- Seamless integration and operation from any Bluetoothenabled devices, or via an auxiliary port.
- · Plug-and-play audio system specifically designed not to drain the battery.
- · Compatible with the Console Extension (715005368 or 715009218) and Adventure Windshields.
- · Not compatible with the Adventure Side Wind Deflectors (715005862 or 715009462).
- EC compliant.

Note: We recommend you use 20 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Bluetooth Handlebar Soundbar by MTX

219400840



- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- · Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- · Not compatible with XT Handlebar Protector Kit.
- · EC compliant.

Note: We recommend you use 320 kbps MP3, 192-256 kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights

G3, G3L (except X mr models)

715009775

\$264.99



- · 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- · Sold in pairs.

EC compliant.

riding conditions.

- · Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required
- · Can also be installed on the stock front bumpers (XT and XU).

3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights

G3L (except X mr models)

715009774

\$264.99



78

- 14 W LED lights producing 1,260 lumens each.
- · Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- · EC compliant.

Flood lens for a wide light beam spread, ideal for working

 XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required for installation.

applications like plowing or for cornering, dusty or foggy

Can also be installed on the stock front bumpers (XT and XU).

10" (25 cm) Double Stacked LED Light Bar (60 W)

G3, G3L (except X mr models)

715002933

\$369.99



- · Equipped with 12 5 W Cree LEDs.
- 5,400 lumens.
- · Rugged and waterproof.
- · Packs a big punch for its size.

- EC compliant.
- XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required
- · Can also be installed on the stock front bumpers (XT and XU).



- Equipped with 18 5 W Cree LEDs. 8,400 lumens.
- · Complements the Light Racks and most bumpers.
- · Rugged and waterproof.
- Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- · EC compliant.
- XT Front Bumper (715004952) and Light Power Cable (715005353) are required for installation.
- · Can also be installed on the stock front bumpers (XT only).

 Light Power Cable
 63, G3L
 715005353
 \$51.99

• Required for installation of the 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the 3.5" (9 cm) LED Lights.

RAM† LED Spotlight

G3, G3L

710005423

\$169.99



 540 lumen LED light (9 W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.

Quick Connect Cable with Battery Indicator

715006055

\$22.49



- · Quickly and easily connect and charge different batteries with your charger.
- 3-color LED indicator provides constant battery health indication.
- · Sold individually.

NEW RFID Key Green DESS

G3, G3L

710005232

\$53.99



- · Top-security anti-theft protection for your vehicle.
- · Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- · One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:

Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque. Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction. Performance mode: No restrictions.

WINCHES



Can-Am HD Winches

NEW Can-Am HD 2500 Winch

G3 (except X mr) G3L (2025 & up)

715009797

\$369.99



- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- · Heavy-duty 4-way roller fairlead.
- · Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- · Plug-and-play wiring.
- EC & UKCA compliant.

NEW Can-Am HD 3500 Winch

G3 (except X mr) G3L (2025 & up)

715009798

\$399.99

79



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 32" (15.2 m of 5.2 mm) wire steel cable.
- · Heavy-duty 4-way roller fairlead.
- Weather-sealed handlebar-mounted switch.
- Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- · EC and UKCA compliant.

Can-Am HD 2500 Winch G3L 2024 & prior 715006973



· Ergonomic clutch handle.

- Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).

• 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.

- · Heavy-duty 4-way roller fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- · Plug-and-play wiring.
- EC and UKCA compliant.

Can-Am HD 3500 Winch

G3L 2024 & prior

715006974

\$399.99

\$369.99



• Ergonomic clutch handle.

- Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of %2" (15.2 m of 5.2 mm) wire steel cable.
- · Heavy-duty 4-way roller fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- · Plug-and-play wiring.
- · EC and UKCA compliant.

Can-Am HD 3500-S Winch

G3L 2024 & prior

715008285

\$499.99



Ergonomic clutch handle.

- Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed, wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- · Heavy-duty hawse fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- · EC and UKCA compliant.

NEW Can-Am HD 3500-S Winch

G3 (except X mr models), G3L 2025 & up

up **715009799**

\$499.99



Ergonomic clutch handle.

- Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- Corded 10 ft. (3 m) weather sealed, wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- · Heavy-duty hawse fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- · Plug-and-play.
- · EC and UKCA compliant.

Winch Accessories

Can-Am HD Wired Remote Control

Can-Am HD Winches

715008121

\$30.99



- This kit allows owners to add a handheld remote to their winch or a stock winch.
- · Works with the handlebar-mounted switch.
- · Wired Remote and Remote Socket included.
- 10 ft. wire.

Winch Accessories Kit

715002409

\$124.99



80

- Get the most out of your winch.
- $\bullet \ \ \text{Double your pulling power, change your pulling direction and keep your winch in proper working order.}$
- Includes tree straps, snatch block, shackle and winching gloves.



Hitches

Front Receiver Hitch G3, G3L 715004977 \$99.99



- · Installs easily. No drilling required.
- · This hitch offers a 1,500 lb (680 kg) towing capacity.
- ${\boldsymbol{\cdot}}$ Allows you to maneuver your trailer easily in tight, confined areas.
- · Hitch bar sold separately.

Rear Hitch Drawbar Kit G3, G3L 715006230 \$99.99



- · Works on 2" (5 cm) standard receiver hitch.
- Offers a towing capacity of 3.8 kN (R = 750 kg).
- 50 mm Hitch Ball included.
- · Forged steel.
- · For European vehicles only.

Front and Rear Hitch Drawbar	G3, G3L	715008350	\$99.99
------------------------------	---------	-----------	---------



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- · Hitch ball not included.
- · Forged steel.

Hitch Accessories

Rubber Receiver Plug 705204503 \$12.99



• Rubber cap for 2" (5 cm) hitch receiver.

PERFORMANCE

Performance

Snorkel Kit G3L 715005073 \$379.99



- $\boldsymbol{\cdot}$ Comprehensive snorkel kit for extended air intakes and CVT exhaust.
- The CVT outlet integrates into the pod cover.
- Ideal when riding in muddy conditions.
- Not compatible with windshields.
- Can be installed with the Integrated Audio System (715005354).

Radiator Relocator Kit G3L 715004943 \$749.99



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Allows riders to open the relocator hood for easy radiator cleaning.
- Engineered for easy cooling system bleeding and maintenance.
- Includes support, hardware and hoses. Uses existing radiator: radiator not included.

Mud Strap G3, G3L 715003053 \$47.99



- · Convenient sturdy grab-handle.
- · Lets drivers redistribute their weight for improved traction in demanding conditions.

Radiator Protector

G3 (except X mr models) G3L (except X mr models)

715005333

\$99.99



- Metal shield mounts over radiator face and protects vehicle from stones and branches.
- · Easily slides out of its holder for easy cleaning.

Heavy Duty Spring Kits

G3L (except MAX & X mr models)

715008202 · Front **715004942** · Rear

\$149.99



- · Allows riders to replicate the standard HD5/HD7 suspension setup on the Outlander 500/700 (1-up).
- The heavy-duty springs improve handling and provide enhanced stiffness, which is perfect for snow clearing and hauling heavy loads.
- · Two springs included in the kit.

Aluminum Footpeg Kit

G3, G3L

715008199

\$59.99



- · Provides maximum integrated grip and stability during vigorous riding.
- The kick-up end gives riders added grip during hard cornering.
- · Made of aluminum, sold in pairs.

Emergency Accessories

Emergency Kit 715006102 \$159.99



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
 powersport enthusiasts may find themselves in
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS & ADD-ONS



Heavy-Duty Seat Cover

G3L (except MAX models)

715008311

\$59.99




- Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- · Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

Heavy-Duty Seat Cover

G3L (MAX models only)

715008313

\$79.99



- · Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- Abrasion- and tear-resistant.
- $\bullet \ \, \text{Easily installed by stretching around the original seat: the elastic holds the cover securely in place.}$

Trailering Cover

G3, G3L (except MAX models)
G3, G3L (MAX models only)

715005074 715005075

\$229.99



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- · Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- · Inner soft liner protects windshield and colored panels from abrasion.
- Quick and easy clip-on installation.
- Designed with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- Can be installed with or without Can-Am accessories.

Flag 715000277 · Yellow \$33.99



- · Make sure everyone knows what you're riding.
- · Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- · Includes Flag Mount (715000127).

Flag Mount 715000127 (Not illustrated) \$20.99

Ratchet Tie-Downs ■■ 715008309 · Black/Gray \$29.99



- · 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- · Deluxe ratchet with rubber handle.
- · Coated S hooks.
- · Pack of 2.

Heavy-Duty Ratchet Tie-Down

1,000 lb (454 kg) safe working load.

- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- · Deluxe ratchet with rubber handle.
- · Black-coated clip hooks.
- 12" (300 mm) webbing included.

APACHE TRACK SYSTEMS



\$44.99

Apache Backcountry

Apache Backcountry Track System

G3, G3L

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- · Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.

Apache Backcountry Mounting Kit

G3, G3L

715010045

- · Required to install Apache Backcountry Track System.
- · DPS module and pre-filter not included.
- · Improved installation time and switch seasons faster than ever.

Apache XC and XC LT

NEW Apache XC LT Track System

G3, G3L (2023 & up)

715007719



- Long Track version.
- · Brand-new track design to optimize driving off and in deep snow conditions.
- · Reduction in steering effort thanks to the tandem 4 wheels.
- · Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- · Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- · Track width: front 12.5" and rear 15".
- Adds 3" (7.62 cm) of ground clearance versus 27" tires.

- · Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).
- Central guide for optimized track alignment and reduced occurrences of detracking

715008308

- · Optimized track layout with increased angle of attack for better obstacle crossing and snow performances.
- Stamped and welded steel frame for improved strength
- · Easy maintenance with replaceable hub and wheel bearings.
- · Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- · Mounting kit sold separately.





- Brand-new track design to optimize driving off and in deep snow conditions.
- Reduction in steering effort thanks to the tandem 4 wheels
- Vibrations are reduced due to the alignment of the wheels with the rolling band of the track and the shaft damper mounted tandem.
- Better steering precision because of this wheel and track alignment due to good ground contact.
- 1.25" (3.175 cm) lugs in the front and in the back for better traction and lateral stability.
- · Track width: front 12.5" and rear 15".
- · Adds 3.25" of ground clearance vs 25" tires.
- Additional shaft dampers, tandem dampers, track design and wheel layout significantly reduce NVH (noise vibration harshness).

- Central guide for optimized track alignment and reduced occurrences of detracking.
- Optimized track layout with increased angle of attack for better obstacle crossing and snow performances.
- Stamped and welded steel frame for improved strength and durability.
- Easy maintenance with replaceable hub and wheel bearings.
- Main hub is oil bath with 3 bearings inside for consistent lubrication.
- DPS module and engine and CVT pre-filter required.
- · Mounting kit sold separately.

NEW Apache XC & XC LT Mounting Kit (Not illustrated)

G3, G3L (2023 & up)

715008264

- · Required for installation of the Apache XC and XC LT Track System.
- · Track DPS Module and Pre-Filter not included.

Apache 360 & 360 LT

Apache 360 Track System

G3L

715006323



- · Multifunctional tracks perfect for any Can-Am ATV.
- · Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- $\boldsymbol{\cdot}$ Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.
- EC compliant.

Apache 360 LT Track System

G3L

715005103



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised
 or increased contact patch for improved flotation when lowered.
- · Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · Reliable heavy-duty build.
- · EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- · Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

Apache 360 & 360 LT Mounting Kit

(Not illustrated)

G3L

715004992

- Required to install Apache 360 and 360 LT Track Systems.
- · DPS module and pre-filter not included.
- Improved installation time and switch seasons faster than ever.

Apache Track System Accessories

Track DPS Module

(Not illustrated)

G3, G3L (without iTC)

G3, G3L (with iTC)

715007338 715006266

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

NEW Air Intake Engine Pre-filter

G3, G3L

715008314



- Adds extra protection for your engine in harsh riding conditions.
- The filter blocks particles larger than 0.005".
- · Necessary when tracks are installed.



- · Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Sliders with Vespel† Inserts

Apache Backcountry Track System

503194815



- Use DuPont Vespel inserts for less friction.
- · Longer life.
- · Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

Rail Ice Scratchers

Apache Backcountry Track System

860201728

85



- Provide additional lubrication in hard and icy conditions.
- · Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

APACHE TRACK SYSTEMS FITTING GUIDE

Apach	e Backcountry					
Model Year	/ Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 & Up	G3L	715005247	715004002	715007338 (without iTC)	715009214	Not required
	G3	715005247	715004993	715006266 (with iTC)	715008314	Not required

Apach	e XC and XC LT					
Model Year	/ Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
	G3L	715007719 (Apache XC LT)		715006266 (with iTC)		
2023 & Up	G3	and 715008664 (Apache XC)	715008264	OR 715007338 (without iTC)	715008314	Not required

Apache 360 and Apache 360 LT						
Model Yea	r / Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023	G3L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715004992	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required



PROMOUNT PLOW KITS

Steel - Reference Chart								
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel
Plow Kit	715006202	715006206	715006203	715006207	715006205	715006208	_	_
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004474	715006021
Push Frame	715004980	715004980	715004980	715004980	715004980	715004980	715004980	715004980
Mounting Kit	715009483	715009483	715009483	715009483	715009483	715009483	715009483	715009483

Flex2 - Reference Chart					
	60" Flex2	66" Flex2	72" Flex2		
Plow Kit	715006204	715008206	_		
Blade	715004203	715006265	715004485		
Push Frame	715004980	715004980	715004980		
Mounting Plate	715009483	715009483	715009483		



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 60" (152 cm)		■ 715006203 · Black	\$1,009.97
Steel Plow Kit	G3L	715006207 · Yellow	\$979.97



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm)		■ 715006205 · Black	\$1,119.97
Steel Plow Kit	G3L	715006208 · Yellow	\$1,029.97



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Fits ProMount Push Frame

■ 715004472 · Black 715005316 · Yellow \$359.99 \$329.99



- · Blades available individually to create your own kit.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- · Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- · Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ 715004202 · Black 715005317 · Yellow \$389.99 \$359.99



- · Blades available individually to create your own kit.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ 715006337 · Black

\$499.99



- · Blades available individually to create your own kit.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 60" (152 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715004474 · Black 715006021 · Yellow \$569.99 \$479.99

· Blades available individually to create your own kit.



- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 66" (168 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3L

■ 715006204 · Black

\$1,109.97



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3I

■ 715008206 · Black

\$1,179,97



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Flex2 Plows

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203

\$489.99

87



- · Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- · Replaceable wear blade.
- · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).



- · Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- · Clears 60" (152 cm) when plow is fully angled.
- · Blade height of 17" (43 cm).
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715004485

\$639.99



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 66" (168 cm) when plow is fully angled
- · Blade height of 17" (43 cm).

Angle Plows

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G3 G31

715007261

\$519.99



- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- · Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- · Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G3. G3L

715007263

\$619.99



- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- · One-way "winged" state plow designed to throw snow higher.
- · Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G3. G3L

715007264

\$659.99



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded

ProMount One-Way State Blade Rubber Flap

(Not illustrated)

715007299

\$119.99

· Allows for more efficient snow projections in various snow conditions.

Can-Am ProMount Plow Accessories

Can-Am ProMount Push Frame with Quick-Attach System

G3. G3L

715004980

\$499.99



- · Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- · Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- · Allows blade to swivel left or right in five positions.
- · Compatible with all Can-Am ProMount blades.
- · Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Kit required for installation.



- 12" (30 cm) push frame extension.
- · Required when plow is installed with Apache Track System.

Can-Am ProMount Mounting Kit

G3, G3L

715009483

\$119.99



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- · No drilling required.
- Quick installation directly to the chassis.
- · Plow Roller Fairlead included.

Can-Am ProMount Edge Markers

G3, G3L

715004206

\$45.99



· Help locate the edges of your plow.

- · Height: 24" (60 cm).
- · Sold in pairs.
- · Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G3, G3L

715006258

\$124.99



- · Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- · Sold in pairs.
- · Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am	ProMount	Plastic	Wear	Rlade

G3 G31

715004480 · 54" (137 cm) 715004481 · 60" (152 cm) 715004482 · 66" (168 cm)

\$139.99 \$159.99 \$179.99

· To help prevent scratches on smooth driveways and markable surfaces.



Can-Am ProMount Curved Wear Blade

G3. G3L

715007791 · 60" (152 cm) 715007792 · 66" (168 cm) 715007793 · 72" (183 cm)

\$114.99



- · Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Can-Am ProMount Plow Blade Extensions

G3, G3L

■ 715004205 · Black 715005319 · Yellow

\$119.99



- · Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- · Longer Wear Blade can be installed to further extend the extra length already provided by the extensions.
- Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade

ProMount Plows (60" and more)

715007794

\$279.99

89



- · 1/4" thick steel swivel scraper.
- · Lifts up when the vehicle is moving forward so as not to affect the scraping.
- · Increased capacity to pull snow.
- · More aggressive scraping in reverse mode.
- · Lifts the blade off the ground so that it scrapes evenly.
- · Adjustable in length for compatibility with 60", 66" and 72" blades.
- · Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead G3L 705009222 \$69.99



- Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows.
- Included in the Can-Am ProMount Mounting Kit (715009483).

Pulley Kit for Alpine Super-Duty Plow

G3, G3L

715000279

\$57.99



• Pulley kit to be used in conjunction with the winch when using a snow plow.

- Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Plow Limit Switch			
(Not illustrated)	G3, G3L	715006319	\$134.99

- ${\boldsymbol{\cdot}}$ To control the cable tension when raising your plow system.
- · Prevents winch, plow push frame and vehicle damage.

Can-Am ProMount Plow Angling System	G3, G3L	715009657	\$599.99
oun fun i romount i low funging oyotom	40, 402	113003031	Q333.33



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- · Compatible with ProMount Blade.

- Push Frame (715007752) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.



PARTS AND MAINTENANCE

Keep an Eye on These Parts	9
XPS Tires	9
Maintenance Products	9
Care Products	9









To make sure your ATV performs as you expect, **keep an eye on these components**:**

OIL FILTER	420256188	ENGINE AIR FILTER	
ENGINE OIL		Performance Air Filter	
ENGINE OIL		by Twin Air [†]	
4T 10W-50 Synthetic Oil 1 quart / 946 ml	9779234	Premium Air Filter	715001333
1 US gallon / 3.785 L	9779235	Premium Air Filter	707800371
4T 0W-40 Synthetic Oil		CVT AIR FILTER	
1 quart / 946 ml	9779139	222	
1 US gallon / 3.785 L	9779140	G2S	707001786
4T 5W-40 Synthetic Oil		G2, G2L	715003483
1 quart / 946 ml	9779492	DRIVE BELT	
1 US gallon / 3.785 L	9779493		
OIL CHANGE KIT	,	450 cc & less Premium (Stock)	422280283
5W-40 Synthetic Oil		500 cc & more	
500 cc or more V-twin engine	9779488	Premium (Stock)	422280360
0W-40 Synthetic Oil		BRAKE PADS	
500 cc or more V-twin engine	9779259		
10W-50 Synthetic Oil		Metallic G2	
500 cc or more V-twin engine	9779252	Front & Rear Left Front & Rear Right	715900248 715900249
5W-40 Full Synthetic		Organic G2, G2L, G2S	
450cc or less	9779487	(except X mr models)	
OW 40 O		Front & Rear Left	715601015
0W-40 Synthetic Oil		Front & Rear Right	715601014
450cc or less	9779257	-	
EMISSION CONTROL			
Fuel tank vent breather filter			
(Non-EVAP models)	709001120		
Canister vent pre-filter			
(CARB and EVAP models)	709001109		

CV BOOT KITS	
G2, G2L, G2S (except X mr models) Front Wheel Side Front Differential Side Rear	705401345 705401346 705501864
X mr models Front Wheel Side Front Differential Side Rear	705401354 705401355 705501864
WHEEL BEARINGS	293350150
A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706202044
Lower	706202045
SPARK PLUG	
450, 850, 1000R engines	715900352
570, 650, 1000 engines	715900642
BATTERY	
G2S, G2, G2L 18 Amps. Wet (YTX20 L-BS)	296000444
DS (250, 90, 70, 50) 13 Amps. Wet	
(YTX16 L-BS)	V31500MAA020

^{**}Refer to periodic maintenance chart for proper intervals.





To make sure your ATV performs as you expect, **keep an eye on these components**:**

ENGINE AIR FILTER

ENGINE OIL	
4T 10W-50 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
4T 0W-40 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
4T 5W-40 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779492 9779493
OIL CHANGE KITS	
5W-40 Full Synthetic HD7 ace 650cc single cylinder	9779480
0W-40 Synthetic Oil HD7 ace 650cc single cylinder	9779481
OIL FILTER	420256188
Oil Filter Cover O-Ring	420230922
Drain Plug Sealing Ring	420552280
EMISSION CONTROL	
Fuel tank vent breather filter (Non-EVAP models)	709001120
Canister vent pre-filter (CARB and EVAP models)	709001109

G3	703501249
G3L	703501247
DRIVE BELT	
Belt for 700/HD7 G3 850cc and 1000cc & G3L 700cc	420280225
Belt for 500/HD5 G3L 500cc	420280226
METALLIC BRAKE PADS	
Left/Right brake pad kit* (4 pads per kit/hardware included) *Fits front/rear on G3 and front on G3L.	705602167
Rear brake pad kit** (2 pads per kit/hardware included) **Fits rear on G3L	705602168
CV BOOT KITS	
Front CV Outer Boot Kit G3-G3L	715500456
Front CV Inner Boot Kit G3-G3L	715500457
Rear CV Outer Boot Kit G3-G3L	715500464
Rear CV Inner Boot Kit G3-G3L	715500465

WHEEL BEARING	293350150
BALL JOINTS	
Ball Joints Lower	706202045
Ball Joints Upper	706202044
SPARK PLUG	715900785
BATTERY	
G3	715900973
G3L	296000444

 $[\]ensuremath{^{**}}\xspace$ Refer to periodic maintenance chart for proper intervals.

XPS TIRES

SHOP BY USAGE



GRAVEL & HARD PACK





XPS Trail Force





- · All-terrain radial tire.
- 8-ply rated construction.
- · Versatile and suitable for many types of terrain.
- · Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705403026 · 26X8R14

705503322 · 26X10R14

705402754 · 27X9R14

705503103 · 27X11R14

XPS Trail King





- · All-terrain radial tire.
- 8-ply rated construction.
- · Aggressive tread pattern for tougher terrains.
- · An almost continuous center tread offers a smoother
- Tread depth: 26 mm (1.02").

705402713 · 26X8R12*

705503073 · 26X10R12*

705402825 · 28X9R14 705403081 · 27X9R14

*6 ply rating

705503181 · 28X11R14

705503355 · 27X11R14

XPS Trail King 2







- · All-terrain radial tire. 6-ply rated construction.
- Tire excels in various terrains from loose to hard packed.
- · Non directional tread pattern with optimized construction providing precision handling ensuring maximum grip and low rolling resistance
- Tread depth: 20 mm (0.78").

705403398 · 26X8R14

705503518 · 26X10R14

705403397 · 27X8R14

705503517 · 27X10R14

XPS Trac Force









- · All-terrain light truck style radial tire.
- · 8-ply rated construction.
- Central tread for good grip and comfort on compact terrain.
- Tread depth: 18 mm (0.71").

705403080 · 30X9R14

705403369 · 30X9R15 705503354 · 30X10R14

705403586 · 30X10R14 UT*

705403370 · 30X10R15

705403416 · 32X10R16 UT* 705403587 · 32X10R15 UT*

705402918 · 30X10R15

*6 ply rating

XPS Hammer Force







- · 8-ply rated construction.
- Rock-crawling tread pattern with unique contact patch.
- · Aggressive sidewall for maximum traction when faced with technical terrains.
- Tread depth: 15 mm (0.59").

XPS Swamp Force





- · Hybrid radial tire for mud and trail.
- · 8-ply rated construction.
- Unique tread pattern allowing good grip in mud and mud ejection.
- · Center tread provides for comfortable trail riding.
- Tread depth: 36-38 mm (1.41"-1.49").

705403201 · 30X9R14

705503387 · 30X11R14

XPS Swamp King





- · Bias tires for mud and trail.
- · 6-ply rated construction.
- · Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.49").

705403028 · 28X8X14

705503324 · 28X10X14

XPS Swamp King XL





- Bias ply for mud and trail
- 6-ply rated construction.
- · Our best performing mud tire that does not compromise your trail riding
- Deep V grooved Lugs with extended shoulder tread for max traction in deep ruts that also help eject mud faster.
- Tread depth: 38 mm (1.49") center, max depth 52 mm (2.05").

705503687 · 30X9X14

705403381 · 30X10X14

MAINTENANCE PRODUCTS

Synthetic Gear Oil

75W-90 75W-140 9779158 · 1 qt / 946 ml

9779160 · 1 qt / 946 ml



- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- · Allows higher loads, superior shear stability and reduced oxidation.
- · Exceptional wear protection and superior performance at all operating temperatures.

Extended Life Pre-Mixed Coolant

9779150 · 1 qt / 946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- · Long-life, 5-year formula specially formulated for BRP vehicles.
- · Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-Corrosive Lubricant

9779166 · US 12 oz / 340 g

9779167 · CDN 12 oz / 340 g



- · Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

(Not Illustrated)

9779708 · 14 oz / 400 g

- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

(Not Illustrated)

9779704 · 4 fl oz / 118 ml

- Enhanced rust and corrosion resistance.
- Protects against seizure, heat-freeze, galling, rust and corrosion.

DOT 4 Brake Fluid

9779151 · 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 · 12 fl oz / 355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 · 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle
 hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- · Prevents problems associated with E10 fuels.

CARE PRODUCTS

Cleaner and Degreaser, All Purpose

9779328 · 22 fl oz / 650 ml

9779329 · 2 qt / 1.89 L



- · Ready-to-use formula.
- · Cleans toughest dirt and grime.
- · Phosphate free eco-friendly formula.
- · Low-foam easy rinse formula.

Matte Finish Waterless Cleaner

9779330 · 22 fl oz / 650 ml



- · Easy waterless use.
- · Perfect for matte, flat and denim surfaces.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

Multi-Surface and Glass Cleaner

9779331 · 22 fl oz / 650 ml



- · Easy waterless spray and wipe use.
- · Polymer formula cleans and protects.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

Mud and Dust Off-Road Wash

9779340 · 33 fl oz / 946 ml

9779341 · 2 qt / 1.89 L



- Specially formulated for off-road vehicles, it breaks the bond holding grime and dirt to your vehicle's finish.
- The formula is biodegradable, eco-friendly with no phosphates or corrosive chemicals and is low foam for easy, quick rinsing.
- ${\boldsymbol{\cdot}}$ Effective on oil, grease and other stubborn grime.
- Safe for use on all surfaces.

Black Plastic and Rubber Restorer

9779335 · 7.6 fl oz / 225 ml



- Restores plastic, rubber and vinyl.
- Long-lasting formula.
- · Protects against UV rays.

Foaming Wash

9779337 · 16 fl oz / 473 ml

9779338 · 2 qt / 1.89 L



- Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching.
- The pH neutral formula is safe for wax and paint sealants.
- · Works in pressure washers or by hand.

Quick Detailer Gloss Enhancing

9779332 · 4 fl oz / 118 ml

9779333 · 16 fl oz / 473 ml



- · Quick detail spray wax.
- Leaves a high gloss finish at every wipe.
- Nanotechnology polymer formula.
- · Repels dirt.
- · No water needed.





BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-doo Lynx Servado Can-am Rotax Alumacraft MANITOLI QUINTREX

www.brp.com



