

Kawasaki

Let the Good Times Roll®



JET SKI

2025

Product Spec Book

2025

JET SKI® STX® 160LX

Kawasaki

Let the Good Times Roll®

MSRP

\$14,299

 EBONY/NEON RED



POWER		PERFORMANCE	
Engine	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	Lubrication	Semi-dry sump system
Displacement	1,498cc	Coupling	Direct drive from engine
Bore x Stroke	83.0 x 69.2mm	Oil Capacity	5.3 qt
Compression Ratio	10.6:1	Fuel Capacity	20.6 gal
Induction	Naturally aspirated	Load Capacity	496 lb
Maximum Boost	N/A	Storage Capacity	35.0 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body	Overall Length	124.1 in
Ignition	TCBI with Digital Advance	Overall Width	46.5 in
Starting System	Electric	Overall Height	45.4 in
Propulsion System	148mm jet pump, axial-flow, single stage	Estimated Dry Weight	738.7 lb**
Impeller	3-blade, oval-edge stainless steel	Curb Weight	877.6 lb*
		Seating Capacity	3
		Color Choices	Ebony/Neon Red

Scan with camera to view videos, key features and more.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied)

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® STX® 160X

Kawasaki
Let the Good Times Roll®

MSRP
\$12,599

 CRYSTAL WHITE/EBONY



POWER	
Engine	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline
Displacement	1,498cc
Bore x Stroke	83.0 x 69.2mm
Compression Ratio	10.6:1
Induction	Naturally aspirated
Maximum Boost	N/A
Cooling System	Inducted water
Fuel System	DFI® with 60mm throttle body
Ignition	TCBI with Digital Advance
Starting System	Electric
Propulsion System	148mm jet pump, axial-flow, single stage
Impeller	3-blade, oval-edge stainless steel

PERFORMANCE	
Lubrication	Semi-dry sump system
Coupling	Direct drive from engine
Oil Capacity	5.3 qt
Fuel Capacity	20.6 gal
Load Capacity	496 lb
Storage Capacity	35.0 gal

DETAILS	
Overall Length	124.1 in
Overall Width	46.5 in
Overall Height	45.4 in
Estimated Dry Weight	725.4 lb**
Curb Weight	864.4 lb*
Seating Capacity	3
Color Choices	Crystal White/Ebony

Scan with camera
to view videos,
key features
and more.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).
**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied)
KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A.
Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 160LX

Kawasaki

Let the Good Times Roll®

MSRP

\$18,199

 METALLIC GOLD SPARKLE DEEP GREEN/EBONY



POWER		Coupling	
Engine	4-stroke, DOHC, 4 valves per cylinder, 4-cylinder in-line	Oil Capacity	Direct drive from engine
Displacement	1,498cc	Fuel Capacity	5.8 qt
Bore x Stroke	83.0 x 69.2mm	Load Capacity	21.1 gal
Compression Ratio	10.6:1	Storage Capacity	496 lb
Induction	Naturally aspirated		44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body	Overall Length	140.9 in
Ignition	TCBI with digital advance	Overall Width	47.0 in
Starting System	Electric	Overall Height	48.8 in
Propulsion System	155mm jet pump, axial-flow, single stage	Estimated Dry Weight	846.7 lb.**
Impeller	3-blade, oval-edge stainless steel	Curb Weight	987.8 lb*
Electronic Rider Aids	Power Modes, Kawasaki Smart Reverse with Deceleration (KSRD)	Seating Capacity	3
PERFORMANCE		Special Features	Full-color TFT Instrumentation with Smartphone Connectivity, LED Accent Lights, ULTRA® Deck, JETSOUND® 4s Audio System
Lubrication	Semi-dry sump system	Color Choices	Metallic Gold Sparkle Deep Green/Ebony

Scan with camera to view videos, key features and more.





*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A.

Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 160LX-S

Kawasaki

Let the Good Times Roll®

MSRP

\$17,199

BLUISH GRAY/EBONY



POWER		Coupling	
Engine	4-stroke, DOHC, 4 valves per cylinder, 4-cylinder in-line	Oil Capacity	Direct drive from engine
Displacement	1,498cc	Fuel Capacity	5.8 qt
Bore x Stroke	83.0 x 69.2mm	Load Capacity	21.1 gal
Compression Ratio	10.6:1	Storage Capacity	496 lb
Induction	Naturally aspirated		44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body	Overall Length	140.9 in
Ignition	TCBI with digital advance	Overall Width	47.0 in
Starting System	Electric	Overall Height	46.5 in
Propulsion System	155mm jet pump, axial-flow, single stage	Estimated Dry Weight	822.5 lb.**
Impeller	3-blade, oval-edge stainless steel	Curb Weight	963.6 lb*
Electronic Rider Aids	Power Modes, Kawasaki Smart Reverse with Deceleration (KSRD)	Seating Capacity	3
PERFORMANCE		Special Features	Full-color TFT Instrumentation with Smartphone Connectivity, LED Accent Lights, ULTRA® Deck
Lubrication	Semi-dry sump system	Color Choices	Bluish Gray/Ebony

Scan with camera to view videos, key features and more.

*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 160LX-S ANGLER

Kawasaki

Let the Good Times Roll®

MSRP

\$18,899

CRYSTAL WHITE/TIMBERLINE GREEN



POWER		PERFORMANCE	
Engine	4-stroke, DOHC, four valves per cylinder, 4-cylinder inline	Lubrication	Semi-dry sump system
Displacement	1,498cc	Coupling	Direct drive from engine
Bore x Stroke	83.0 x 69.2mm	Oil Capacity	5.8 qt
Compression Ratio	10.6:1	Fuel Capacity	21.1 gal
Induction	Naturally aspirated	Load Capacity	496 lb
Maximum Boost	N/A	Storage Capacity	44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body		
Ignition	TCBI with Digital Advance		
Starting System	Electric		
Propulsion System	155mm jet pump, axial-flow, single stage		
Impeller	3-blade, oval-edge stainless steel		
Electronic Rider Aids	Power Modes, Launch Control, Electronic Cruise Control, Kawasaki Smart Reverse with Deceleration (KSRD)		
		Overall Length	140.9 in
		Overall Width	49.6 in
		Overall Height	46.5 in
		Estimated Dry Weight	915.1 lb.**
		Curb Weight	1,056.2 lb*
		Seating Capacity	3
		Special Features	Full-color TFT Instrumentation, Garmin Chartplotter, Fishing features with ORCA cooler
		Color Choices	Crystal White/Timberline Green

Scan with camera to view videos, key features and more.

*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2024 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 310LX

Kawasaki

Let the Good Times Roll®

MSRP

\$21,199

 EBONY/METALLIC GOLD SPARKLE DEEP GREEN



POWER		PERFORMANCE	
Engine	Supercharged and intercooled, 4-stroke, DOHC, 4 valves per cylinder, in-line 4-cylinder	Lubrication	Semi-dry sump system
Displacement	1,498cc	Coupling	Direct drive from engine
Bore x Stroke	83.0 x 69.2mm	Oil Capacity	5.3 qt
Compression Ratio	8.2:1	Fuel Capacity	21.1 gal
Induction	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler	Load Capacity	496 lb
Maximum Boost	16.8 psi	Storage Capacity	44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body	Overall Length	140.9 in
Ignition	TCBI with digital advance	Overall Width	47.0 in
Starting System	Electric	Overall Height	48.8 in
Propulsion System	160mm jet pump, axial-flow, single stage	Estimated Dry Weight	948.2 lb.**
Impeller	3-blade, oval-edge stainless steel	Curb Weight	1,089.3 lb*
Electronic Rider Aids	Power Modes, Launch Control, Kawasaki Smart Reverse with Deceleration (KSRD)	Seating Capacity	3
		Special Features	Full-color TFT Instrumentation with Smartphone Connectivity, LED Accent Lights, ULTRA® Deck, JETSOUND® 4s Audio System
		Color Choices	Ebony/Metallic Gold Sparkle Deep Green

Scan with camera to view videos, key features and more.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 310LX-S

Kawasaki

Let the Good Times Roll®

MSRP

\$20,199

EBONY/LIME GREEN



POWER		PERFORMANCE	
Engine	Supercharged and intercooled, 4-stroke, DOHC, 4 valves per cylinder, in-line 4-cylinder	Lubrication	Semi-dry sump system
Displacement	1,498cc	Coupling	Direct drive from engine
Bore x Stroke	83.0 x 69.2mm	Oil Capacity	5.3 qt
Compression Ratio	8.2:1	Fuel Capacity	21.1 gal
Induction	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler	Load Capacity	496 lb
Maximum Boost	16.8 psi	Storage Capacity	44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body	Overall Length	140.9 in
Ignition	TCBI with digital advance	Overall Width	47.0 in
Starting System	Electric	Overall Height	46.5 in
Propulsion System	160mm jet pump, axial-flow, single stage	Estimated Dry Weight	923.9 lb.**
Impeller	3-blade, oval-edge stainless steel	Curb Weight	1,065.0 lb*
Electronic Rider Aids	Power Modes, Launch Control, Kawasaki Smart Reverse with Deceleration (KSRD)	Seating Capacity	3
		Special Features	Full-color TFT Instrumentation with Smartphone Connectivity, LED Accent Lights, ULTRA® Deck
		Color Choices	Ebony/Lime Green

Scan with camera to view videos, key features and more.

*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.

2025

JET SKI® ULTRA® 310X

Kawasaki

Let the Good Times Roll®

MSRP

\$19,199

EBONY/NEON RED



POWER		PERFORMANCE	
Engine	Supercharged and intercooled, 4-stroke, DOHC, 4 valves per cylinder, in-line 4-cylinder	Lubrication	Semi-dry sump system
Displacement	1,498cc	Coupling	Direct drive from engine
Bore x Stroke	83.0 x 69.2mm	Oil Capacity	5.8 qt
Compression Ratio	8.2:1	Fuel Capacity	21.1 gal
Induction	Eaton Twin Vortices Series Roots-type supercharger with air-to-water intercooler	Load Capacity	496 lb
Maximum Boost	16.8 psi	Storage Capacity	44.5 gal
Cooling System	Inducted water	DETAILS	
Fuel System	DFI® with 60mm throttle body		
Ignition	TCBI with digital advance		
Starting System	Electric		
Propulsion System	160mm jet pump, axial-flow, single stage		
Impeller	3-blade, oval-edge stainless steel		
Electronic Rider Aids	Power Modes, Launch Control		
		Overall Length	135.4 in
		Overall Width	47.0 in
		Overall Height	46.5 in
		Estimated Dry Weight	890.8 lb.**
		Curb Weight	1,031.9 lb*
		Seating Capacity	3
		Special Features	Full-color TFT Instrumentation with Smartphone Connectivity
		Color Choices	Ebony/Neon Red

Scan with camera to view videos, key features and more.

*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

**Dry weight does not include all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

KAWASAKI CARES: Ride responsibly. Kawasaki believes safety begins with us and continues with you. Always wear a USCG-approved personal flotation device, eyewear, gloves, footwear, and a wet suit or clothing that provides equivalent protection (board shorts with neoprene liner). Never ride under the influence of drugs or alcohol. Respect the rights of shoreline residents and other marine recreationists. Boat smart from the start. Take a Boating Safety course; for more information visit www.USCGBoating.org. Jet Ski watercraft are inboard powerboats and their use is subject to all applicable federal, state, and local boating laws. Read Owner's Manual and all on-product warnings. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.