Kawasaki

Let the Good Times Roll®



2025

KLR[®]650





MSRP NON-ABS \$6,899 - \$6,949 MSRP ABS

\$7,199 - \$7,249



METALLIC MATTE OLD SCHOOL GREEN



PEARL CRYSTAL WHITE/METALLIC CARBON GRAY



POWER

Engine 4-stroke, single cylinder, DOHC

Displacement 652cc

Bore x Stroke 100.0 x 83.0mm

Compression

Ratio

9.8:1

39.1 lb-ft @ 4,500 rpm **Maximum Torque**

Fuel System DFI® with 40mm throttle body

Ignition CDI

PERFORMANCE

Transmission 5-speed, return shift with wet multi-disc

manual clutch

Final Drive Sealed chain

Electronic Rider

Aids

Front Suspension /

Wheel Travel

Rear Suspension

/ Wheel Travel

Anti-lock Brake System (ABS)

41mm telescopic fork/ 7.9 in

Rear Tire 130/80-17

Single 300mm disc with 2-piston calipers (and **Front Brakes**

ABS)

Single 240mm disc with single-piston caliper **Rear Brakes**

(and ABS)

Frame Type Tubular, semi-double cradle

Rake/Trail 30.0°/4.8 in

Overall Length 89.8 in

Overall Width 38.2 in

Overall Height 57.7/56.3 in (screen hi/lo)

Ground

DETAILS

Clearance

8.3 in

Seat Height

34.3 in

Estimated Dry

Weight

416.6 lb** (ABS), 412.1 lb** (non-ABS)

Curb Weight

460.6 lb* (ABS), 456.2 lb* (non-ABS)

Fuel Capacity

6.1 gal

Wheelbase

60.6 in

damping and adjustable spring preload/8.0 in **Color Choices**

Uni-Trak® single shock with adjustable rebound

Metallic Matte Old School Green, Pearl Crystal White/Metallic Carbon Gray

Front Tire 90/90-21

Scan with camera to view videos. key features and more.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). When equipped, California evaporative emissions equipment adds approximately 2.2 lb.

KLR®650 ADVENTURE ABS





MSRP **\$8,099 - \$8,199**

CYPHER CAMO BEIGE/METALLIC MATTE CARBON GRAY



METALLIC MATTE TWILIGHT BLUE



POWER

Engine 4-stroke, single cylinder, DOHC

Displacement 652cc

Bore x Stroke 100.0 x 83.0mm

Compression

Ratio

9.8:1

Maximum Torque 39.1 lb-ft @ 4,500 rpm

Fuel System

DFI® with 40mm throttle body

Ignition

CDI

Transmission

5-speed, return shift with wet multi-disc

manual clutch

Final Drive

Sealed chain

Electronic Rider

Aids

Anti-lock Brake System (ABS)

PERFORMANCE

Front
Suspension /
Wheel Travel

41mm telescopic fork/ 7.9 in

Rear Suspension / Wheel Travel Uni-Trak® single shock with adjustable rebound damping and adjustable spring

preload/8.0 in

Front Tire 90/90-21

Rear Tire 130/80-17

Front Brakes Single 300mm disc with 2-piston calipers (and

ABS)

Rear Brakes Single 240mm disc with single-piston caliper

(and ABS)

DETAILS

Frame Type Tubular, semi-double cradle

Rake/Trail 30.0°/4.8 in

Overall Length 89.8 in

Overall Width 38.2 in

Overall Height 57.3/55.9 in (screen hi/lo)

Ground 8.3 in Clearance

Seat Height 34.3 in

Curb Weight 487.1 lb*

Fuel Capacity 6.1 gal

Wheelbase 60.6 in

Color Choices Cypher Camo Beige/Metallic Matte Carbon

Gray, Metallic Matte Twilight Blue





2025

KLR®650 S





MSRP NON-ABS **\$6,899 - \$6,949** MSRP ABS

\$7,199 - \$7,249



METALLIC MATTE OLD SCHOOL GREEN



PEARL CRYSTAL WHITE/METALLIC CARBON GRAY



POWER

Engine 4-stroke, single cylinder, DOHC

Displacement 652cc

Bore x Stroke 100.0 x 83.0mm

Compression

Ratio

9.8:1

Maximum Torque 39.1 lb-ft @ 4,500 rpm

Fuel System DFI® with 40mm throttle body

Ignition CDI

Transmission 5-speed, return shift with wet multi-disc

manual clutch

Final Drive Sealed chain

Electronic Rider

lids

Anti-lock Brake System (ABS)

Rear Tire 130/80-17

Front Brakes Single 300mm disc with 2-piston calipers (and

ABS)

Rear Brakes Single 240mm disc with single-piston caliper

(and ABS)

Frame Type

Frame Type Tubular, semi-double cradle

Rake/Trail 29.5°/4.6 in

Overall Length 88.8 in

Overall Width 38.2 in

Overall Height 56.3/54.9 in (screen hi/lo)

Ground 7.3 in Clearance

Seat Height 32.1 in

Estimated Dry

DETAILS

Weight

416.6 lb** (ABS), 412.1 lb** (non-ABS)

Curb Weight 460.6 lb* (ABS), 456.2 lb* (non-ABS)

Fuel Capacity 6.1 gal

Wheelbase 59.6 in

Color Choices Metallic Matte Old School Green, Pearl Crystal

White/Metallic Carbon Gray

PERFORMANCE

Front Suspension / Wheel Travel 41mm telescopic fork/ 6.7 in

Rear Suspension / Wheel Travel

Uni-Trak® single shock with adjustable rebound damping and adjustable spring preload/7.0 in

Front Tire 90/90-21

Scan with camera to view videos, key features and more.



*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). When equipped, California evaporative emissions equipment adds approximately 2.2 lb.